





# We make better products in a better way.

- » We select materials and processes that are more sustainable, and manufacturing that has less impact.
- » Our products are designed to be more efficient, reducing energy use and carbon impact.
- » We make products that are reliable, serviceable and built to last.



Our customers face complex and demanding challenges. Raising cleaning and hygiene standards for all, delivering increased productivity and significant contributions toward the urgent sustainability agenda, all pressing demands to the cleaning industry. Fulfilling today's demands and overcoming complex challenges requires professional cleaning solutions that deliver

# **Performance You Can Trust.**

We continue to focus on truly understanding our customers' needs to better design and manufacture sustainable cleaning solutions that deliver on performance and reliability. At the centre of all Numatic product development and manufacturing are three core values: Innovation, Quality and Price. These values help us to increase productivity, cleaning standards and meet the demands of all industries, across the globe.

### **Chris Duncan**

Chairman and Founder of Numatic International Limited

### Sustainability

| Sustainability Formula        | 4   |
|-------------------------------|-----|
| Sustainable Development Goals | 5   |
| Sustainability in Action      | 6   |
| ReFlo Technology              | 7   |
| charity: water                | 8-8 |
|                               |     |

### Support

| Support                        |       |
|--------------------------------|-------|
| Nu-Assist                      | 10-1  |
| Nu-Design                      | 12-13 |
| Nu-Track                       | 14-1  |
| ServiceCare                    | 16-17 |
| Numatic Hire                   | 18-19 |
| The Complete Cleaning Solution | 20-21 |

### CleanCare

| Bringing power, performance       |      |
|-----------------------------------|------|
| and reliability to our commercial |      |
| cleaning product range.           | 22-4 |
| Kits                              | 44-4 |
|                                   |      |

### **ProCare**

| Advanced, professional cleaning   |       |
|-----------------------------------|-------|
| for the collection and control of |       |
| dust and hazardous substances.    | 46-53 |
| Kits                              | 52    |

### **FloorCare**

Providing innovative, reliable and effective floorcare solutions, even in the most demanding environments. Brushes/Pads & Accessories

### VersaCare

Raising cleaning standards and productivity with versatility, innovation and quality are at the core of our 74-107 janitorial cleaning systems.



**Numatic International Limited** Chard, Somerset TA20 2GB UNITED KINGDOM

Tel: 01460 68600 numatic.com

©Numatic International Limited 2023. Specification subject to change without prior notice 913649 (UK) H1 2023 (V2)

# **Building on Sustainability**

The Numatic Sustainability Formula is the foundation to all our product development and sustainable initiatives.

# **Built to Last**

**Built to Last** Our products are built to last with tried, tested and trusted designs, ongoing innovations and a commitment to developing sustainable cleaning solutions.

### Efficiency

We ensure our products are the most efficient for every user; from water and detergent usage to electricity consumption.

### **Serviceability**

Our products are designed to be easily and economically serviced throughout their lifecycle. We commit to support every product we have ever made, since day one.

We are committed to developing products using high-quality, recycled plastic. Right from their initial design, our products are manufactured to be easily recycled at the end of their life.

We work hard to ensure zero waste goes to landfill and have achieved this since 2017.

# **Efficiency**

# **Serviceability**

Recycling

**Disposal** 

# **Integrated Sustainability**

A sustainable approach is integrated throughout all of our operations, from design to manufacturing, to distribution and when in use. Our teams always strive to innovate and introduce even more sustainable manufacturing practices at our 42 acre site in Somerset, United Kingdom.













# 66 Net Zero by 2035 JJ

2023



Reduce Plastic Packaging by

30% reduction in plastic packaging use (avg. KGs per unit) by end of 2022 and further 30% by end of 2023.

2023



Reduce Gas & Electric by

Reduce CCA (Climate Change Agreement) Measured Electricity & Gas usage by 10%, under agreed CCA targets, by end of 2023.

2023



Increase Manufacturing Efficiency by

Increase manufacturing efficiencies by

2024



Reduce Energy Use by

Lower energy use across the factory

2025



Increase Use of Recycled Plastic by

Increase use of recycled plastic in our 11" and 12" vacuum cleaners by 50% by end of 2025

# We support the following Sustainable Development Goals (SDGs) of the United Nations:























# **Sustainability in Action**

Achieving ambitious sustainability targets requires innovation, action and transparency. These initiatives move us forward in reaching our goals and leading the way in providing sustainable cleaning solutions for our customers.



# **ReFlo Technology**

Many of our products are engineered from our innovative, environmentally sustainable ReFlo Technology. We use the highest quality, recycled, post-industrial plastics, which are diverted from landfill.



### **The Bigger Picture**

We've partnered with charity: water to provide water to communities and projects that need it the most. Through every purchase of a 244NX, we donate the equivalent of 5000L of water. (See pages 8-9)



# **Not Just Any Offsetting**

We've been reducing our carbon footprint and offsetting global bag sales since 2020. We've partnered with a leading company in carbon offsetting innovation, C Level. Visit: numatic.com/sustainability

# **ReFlo Technology**

We continually review, refine and adapt our manufacturing processes to deliver even greater levels of sustainability throughout our product ranges.

Following extensive research and testing, we have introduced ReFlo Technology to our VersaCare and CleanCare ranges. Our teams are working hard to expand the use of sustainable materials across the Numatic product range, wherever possible.

Our ReFlo produced Janitorial Range of products carry the globally recognised SCS Recycled Content Certification. Working with an independent auditing body provides complete transparency and assurance to our customers. All our products certified by SCS Global Services guarantee a minimum of 50% recycled material is used.



MINIMUM 50% RECYCLED CONTEN **POST-CONSUMER** PRE-CONSUMER



WORKING IN PARTNERSHIP WITH:



For every purchase of a 244NX, Numatic will fund the equivalent of 5000L of water to projects around the world.

Sustainable and responsible usage of clean water is critical to reducing waste and energy. The 244NX optimises the use of clean water, leaving floors clean, dry, safe and hygienic. Switching from conventional mopping to the 244NX can save users 5000L of water per year.\*

We believe no person should be without clean, safe, running water.

That's why, in partnership with charity: water we are committed to helping run multiple projects a year to ensure those who need water the most, have access to it.

To do this, we pledge that for every purchase of a 244NX, we will fund 5000L of water to communities that need it.

Every 244NX funds 5000L of water

to communities that need it.

Our initial project will take place in Madagascar, receiving 100% of the donations.

of the population currently lack safe drinking water.

Since 2021, we have donated

**Litres of Water to Projects** Around the World.

# Our projects will make a real difference to communities.

We'll keep all of our customers up to date with details, progress and completion of each project.







\*To find out more, visit: **numatic.com/charitywater** 

# NG-Assist

# **INCREASE CLEANING PRODUCTIVITY**

The Nu-Assist App offers the benefit of online training through a simple, versatile and user-friendly solution, resulting in increased cleaning performance and productivity.

- » 24/7 Access to Multilingual Training
- » On-hand Troubleshooting and Maintenance
- » Increased Cleaning Productivity
- » Product Training



# **Training and Support Around the Clock**

### **How it Works**

- 1. Scan the QR Code on the Machine
- 2. Open in App or Mobile Browser
- 3. View Quick Start Videos
- 4. Carry Out Maintenance Checklist
- 5. Complete Operator Training

### **Download the App**







Maintaining the Machine Accessories

Operating the Machine

Troubleshooting

OPERATING THE MACHINE



### **Multilingual Support**

With Nu-Assist on-hand, you and your team have 24/7 access to multilingual training, troubleshooting and maintenance content from any device, increasing cleaning productivity across the board.

### **Quick Start Guides**

Don't delay and get straight to business with our quick start guides. Learn how to get your machine up and running and start achieving those high-quality cleaning results as quickly as possible.

### **Maintenance Videos**

Find out how to effectively maintain your machine in order to ensure maximum cleaning productivity, time and time again.

### **Troubleshooting Videos**

Got a problem with your machine? Get help whenever you need it with Nu-Assist. Our wide range of handy troubleshooting videos help you to identify and resolve problems quickly and easily, meaning less down time and more time to get the job done.





Quick Start Videos




Finding a janitorial system that fits your needs completely can be a real challenge. Giving total freedom of choice to the user, Nu-Design offers the ultimate solution.

Nu-Design guides you through the product configuration process, providing a visual output and configuration breakdown at each selection. The result; a reliable, functional and innovative cleaning system that fits your needs precisely.





Poor selection and configuration lowers cleaning standards and productivity.



- 2. Pick storage options that meet your needs exactly
- 3. Choose your mopping system, waste options, accessories and personalisation
- 4. Submit for an itemised breakdown and quote









Visit: numatic.com/apps/nu-design

Compatible with desktop and mobile devices

mumatic.com ( +44 (0)1460 68600 15

# Nu-Track

Intelligent Fleet Management Telemetry, lowering costs and increasing productivity.

--- Asset Management

Understand how, when and where your cleaning fleet is operating. Each asset automatically uploads status, location and usage reports to the portal.

Maximise Return

Deploy machines effectively, based on environment, use and hours worked. Insights allow fleet managers to deploy newer assets to the most demanding environments and critical locations.

Intelligent Insights

Cleaning fleet data allows informed decision making for increased cleaning and productivity standards. Assured security and privacy using global cloud hosting means your data is secure and backed up using the latest hosting technology.

Maximum Operating Reliability

Manage and track servicing requirements to keep your cleaning fleet running smoothly, extending machine life and eliminate costly downtime.

Security & Prevention

Prevent unauthorised use beyond specified working environment using WiFi Technology. If a machine is moved beyond the Geo-Fence, an alert will be sent.

Available 2023 in the UK. Local market availability may vary.







# **FLOORCARE** SERVICING & SUPPORT

# **ServiceCare**


We believe cleaning floors should be simple. It's about having the right equipment and right support; it really doesn't have to be more complicated than that. Simple cleaning, complete support.

We work with you at every turn, equipping you with all you need to maintain the highest cleaning standards.

For extra peace of mind, our full-service contracts cover you for any accidental damage or breakdowns, including two visits every year to service your machine.

**C** Our full-service contracts cover you for any accidental damage or breakdowns.

Get in touch... numatic.co.uk/servicecare



| ServiceCare Packages  | PROTECT Our Premium Package | <b>MAINTAIN</b><br>Our Standard<br>Package |
|---|-----------------------------|--|
| GETTING STARTED Our expert team will get you up and running on-site.  | •                           | •  |
| OPERATOR TRAINING Training provided on how to achieve best cleaning results.  | •                           | •  |
| SPECIALIST SUPPORT Contact with a specialist FloorCare customer care agent personally dealing with your case.       | <b>②</b>                    | •  |
| SERVICE VISITS You'll receive an on-site service visit twice a year from one of our engineers.                      | <b>②</b>                    | •  |
| FITTING OF CONSUMABLES To maintain maximum performance, engineers will fit consumables during each service visit.   | <b>②</b>                    | •  |
| ONGOING TRAINING Keeping your team up-to-date with face-to-face training.   | •                           | X  |
| ON-SITE SUPPORT Our engineers come equipped and ready-to-go, carrying the necessary equipment and spares.           | <b>②</b>                    | X  |
| COMPLETE COVER Peace of mind for the 3-year period with all parts, labour and fair usage included.                  | <b>②</b>                    | X  |
| YOU STAY CLEANING If we're unable to fix your machine, we'll provide a similar machine to minimise any disruptions. | <b>②</b>                    | ×  |



# **How it Works?**

Let's keep things simple and get you cleaning...

- 1. Tell us what your cleaning challenges are.
- 2. We'll help you select the right equipment for the task, deliver to site and get your team up and running in no time.
- 3. When you're done, we'll collect the equipment.

### **ServiceCare Hire**

With ServiceCare Hire cover, we'll keep you cleaning with no additional or hidden costs.

When you hire direct, ServiceCare Hire cover is provided free of charge, offering the very best elements of our premium service package, tailored to hire users.



# HIRE - Simplicity & Performance

The latest in professional cleaning equipment when you need it, direct from UK manufacturer.

# Why Hire?

Hiring provides the **ultimate flexibility** with the latest cleaning equipment when you need it. Whether you need equipment for a week, 6 months or longer, we can flex around you.

- » The Kit You Need, from Vacuums to Scrubber Dryers
- » Short to Long-term Hire
- » Switch Equipment if Needed
- » ServiceCare Hire Cover Included
- » Online and In-person Training\*
- » Option to Extend or Purchase

\*In-person training for floor machines and scrubber dryers only.

**Looking for Lease options?** Visit: numatic.co.uk/lease





# CleanCare

CleanCare brings power, performance and reliability to our commercial cleaning product range.

# **CleanCare Contents**

| Eco ReFlo Range              | 24-25 |
|------------------------------|-------|
| ProLine Range                | 26-27 |
| Sanitise Pro Sprayers        | 28    |
| Mains Cable Backpacks        | 29    |
| Numatic Quick                | 30-31 |
| NX300 Pro Cordless Network   | 32-33 |
| Steel Tops                   | 34-35 |
| MicroLine                    | 35    |
| Aircraft Line                | 36    |
| Dry Big Capacity Vacuums     | 37    |
| Wet or Dry Vacuums           | 38    |
| Wet Vacuums                  | 39    |
| Wet & Dry Vacuums            | 40    |
| Carpet Extraction Vacuums    | 41-43 |
| CleanCare Kits & Accessories | 44-45 |









# **LOW ENERGY SUSTAINABLY MADE POWERFUL PERFORMANCE**



Using our 420W high-efficiency motor, the Eco ReFlo Range delivers powerful cleaning while reducing energy usage and cost.\*1

# **Annual Energy Usage**

£318.24 900 Watts £148.51 420 Watts

\*1 Potential savings provided for guidance only actual savings may differ depe Based on using 4 hours per day, over 260 days and £0.34kWh (as of 10/22 UK)

# Calculate your Savings at numatic.com



**Made from the highest** quality, recycled plastic.







# ECO REFLO RANGE REFLO



### **ERP180**

- » High-efficiency, economical cleaning » Sustainably engineered from high-quality recycled plastic » Carpets, hard-floors, cars, stairs, DIY
- » Handy on-board tool storage
- » Plugged cable» 340x365x360mm (WxLxH)

| " 040X000X000ITIITI (VVXLXITI)         |       |                |                         |  |
|--|-------|----------------|-------------------------|--|
| 8L                                     | 420W  |                | 6.0KG                   |  |
| Capacity                               | Motor |                | Weight                  |  |
| Power <b>230V / AC 50/60Hz</b>         |       |                |                         |  |
| Power Cord 10.0m                       |       | Cleani         | ing Range <b>26.0m</b>  |  |
| Suction H <sub>2</sub> 0 <b>1750mm</b> |       | Kit <b>A</b> S | <b>S0</b> (see page 44) |  |
| 1                                      |       | 1              |                         |  |



### **EPR170\***

- » Equipped with our highest efficiency motor yet
- » Carpets, hard-floors, cars, stairs, DIY
- » Extra reach 12.5m cable with trouble-free cable rewind and additional on-board tool storage
- » Sustainably engineered from high-quality recycled plastic
- » Plugged cable
- » Emptying with no dust and no mess

| » 300x370x390HIH (WXLXH)       |       |                |                         |  |
|--------------------------------|-------|----------------|-------------------------|--|
| 7.2L                           | 420W  |                | 8.1KG                   |  |
| Capacity                       | Motor |                | Weight                  |  |
| Power <b>230V / AC 50/60Hz</b> |       |                |                         |  |
| Power Cord 12.5m               |       | Clean          | ng Range <b>31.0m</b>   |  |
| Suction H <sub>2</sub> 0 175   | 0mm   | Kit <b>A</b> S | <b>S0</b> (see page 44) |  |
|                                |       | 1              |                         |  |

\*Note: Not standard UK model, please contact your Numatic representative for information.

### EPR170 HEPA\*

- » Equipped with our highest efficiency motor yet » Carpets, hard-floors, cars, stairs, DIY
- Certified HEPA13 filtration down to 0.3 microns at 99.95% efficiency
- » Sustainably engineered from high-quality recycled plastic » Plugged cable
- Emptying with no dust and no mess
   360x370x390mm (WxLxH)

| · · · · · · · · · · · · · · · · · · ·  |       |          |                         |  |
|--|-------|----------|-------------------------|--|
| 7.2L                                   | 420W  |          | 8.3KG                   |  |
| Capacity                               | Motor |          | Weight                  |  |
| Power 230V / AC 50/60Hz                |       |          |                         |  |
| Power Cord <b>12.5m</b>                |       | Cleani   | ng Range <b>31.0m</b>   |  |
| Suction H <sub>2</sub> 0 <b>1750mm</b> |       | l∕i+ A G | <b>SO</b> (see page 44) |  |

\*Note: Not standard UK model, please contact your Numatic representative for information.



# **PROLINE RANGE**

The ProSave Plugged Vacuums are packed full of great features and provide powerful, professional cleaning technology from a high-efficiency, long-life motor in a choice of 3 sizes.



# **PSP180**

- » Carpets, hard-floors, cars, stairs, DIY
- » Handy on-board tool storage » Professional accessory kit
- » Plugged cable

| » 34UX365X36Umm (VVXLXH)               |       |                |                         |  |
|--|-------|----------------|-------------------------|--|
| 8L                                     | 620W  |                | 6.0KG                   |  |
| Capacity                               | Motor |                | Weight                  |  |
| Power <b>230V / AC 50/60Hz</b>         |       |                |                         |  |
| Power Cord 10.0m                       |       | Cleani         | ng Range <b>26.0m</b>   |  |
| Suction H <sub>2</sub> 0 <b>2300mm</b> |       | Kit <b>A</b> S | <b>S0</b> (see page 44) |  |



- » Carpets, hard-floors, cars, stairs, DIY
- » Bumper for wall and door protection
- » Handy on-board tool storage
- » 360x370x415mm (WxLxH)

| 9L                                     | 620W  |                | 8.0KG                   |  |
|--|-------|----------------|-------------------------|--|
| Capacity                               | Motor |                | Weight                  |  |
| Power 230V / AC 50/60Hz                |       |                |                         |  |
| Power Cord 10.0m                       |       | Cleani         | ing Range <b>26.0m</b>  |  |
| Suction H <sub>2</sub> 0 <b>2300mm</b> |       | Kit <b>A</b> S | <b>S0</b> (see page 44) |  |

# **PSP370**

- » Carpets, hard-floors, cars, stairs, DIY
- » Bumper for wall and door protection
- » Plugged cable
- » 360x370x510mm (WxLxH)

15L

- - Capacity Motor Weight Power Cord 10.0m Cleaning Range 26.0m Suction H<sub>2</sub>0 2300mm Kit AS0 (see page 44)

620W

9.0KG

### **NRV240**



- » Carpets, hard-floors, cars, stairs, DIY » Bumper for wall and door protection
- » Handy on-board tool storage » Emptying with no dust and no mess

| » ( | 360x37 | 0x415mm | (WxLxH) |
|-----|--------|---------|---------|

Suction H<sub>2</sub>0 2300mm

| 9.0L                    | 620W  |        | 9.0KG                 |  |
|-------------------------|-------|--------|-----------------------|--|
| Capacity                | Motor |        | Weight                |  |
| Power 230V / AC 50/60Hz |       |        |                       |  |
| Power Cord 12.5m        |       | Cleani | ng Range <b>31.0m</b> |  |

| 02044                |          | 0 <b>00</b>   9.01CG |  |  |
|----------------------|----------|----------------------|--|--|
| Mo                   | otor     | Weight               |  |  |
| 30V /                | AC 50/60 | Hz                   |  |  |
| Cleaning Range 31.0m |          |                      |  |  |

Kit NS1 (see page 44)

### **PPR170**



- » Easy replacement plugged cable system» Bumper for wall and door protection
- » Compact and convenient
- » Emptying with no dust and no mess
- » 360x370x390mm (WxLxH)

| 7.2L                                | 620W                   | 1              | 8.1KG                   |
|-------------------------------------|------------------------|----------------|-------------------------|
| Capacity                            | Motor                  |                | Weight                  |
| Po                                  | wer <b>230V / AC</b> 5 | 0/60           | Hz                      |
| Power Cord 12                       | .5m (                  | Cleani         | ing Range <b>31.0m</b>  |
| Suction H <sub>2</sub> 0 <b>230</b> | 0mm                    | Kit <b>A</b> S | <b>S0</b> (see page 44) |



- » Easy replacement plugged cable system
- » Bumper for wall and door protection» Compact and convenient
- » Emptying with no dust and no mess
- » Certified HEPA13 filtration down to 0.3 microns at 99.95% efficiency
- » 360x370x390mm (WxLxH)

| <b>7.2L</b> Capacity           | <b>620W</b> Motor |                | 8.3KG<br>Weight         |  |
|--------------------------------|-------------------|----------------|-------------------------|--|
| Power <b>230V / AC 50/60Hz</b> |                   |                |                         |  |
| Power Cord 12.5m               |                   | Cleani         | ng Range <b>31.0m</b>   |  |
| Suction H₂0 2300mm             |                   | Kit <b>A</b> S | <b>S0</b> (see page 44) |  |

# PPR240



### **PPR370**



# **Contractors' Choice**

- » Professional accessory kit » Bumper for wall and door protection
- » Long cleaning reach » Emptying with no dust and no mess

- » Plugged cable rewind
   » 360x370x415mm (WxLxH) PPR240
   » 360x370x510mm (WxLxH) PPR370

| <b>9L/15L</b> Capacity 240/370 | <b>620W</b><br>Motor  | <b>9.0/10.0KG</b> Weight 240/370 |
|--------------------------------|-----------------------|----------------------------------|
|                                | Power <b>230V / /</b> | AC 50/60Hz                       |
| Power Cord 12.5m               |                       | Cleaning Range 31.0m             |
| Suction H <sub>2</sub> 0 2     | 2300mm                | Kit <b>AS0</b> (see page 44)     |

# **PPT220**





### **Handy Trolley Design**

- Convenient, lift-off storage caddyTelescopic handle for ease of transit and storage
- » Large rear wheels for ease of use on stairways
- » Plugged cable rewind
- » 355x355x615mm (WxLxH) PPT220
- » 355x355x655mm (WxLxH) PPT390

| <b>9L/15L</b> Capacity 220/390         | <b>620W</b><br>Motor | <b>12.3/12.6KG</b> Weight 220/390 |  |  |
|--|----------------------|-----------------------------------|--|--|
| Power 230V / AC 50/60Hz                |                      |                                   |  |  |
| Power Cord                             | 12.5m                | Cleaning Range 31.0m              |  |  |
| Suction H <sub>2</sub> 0 <b>2300mm</b> |                      |                                   |  |  |

# **SANITISE PRO SPRAYERS**

# **HIGH-PRESSURE MISTING DISINFECTION SYSTEM**

The Sanitise Pro Sprayers deliver 99.999%\* efficiency in inactivating and destroying pathogens.

### **NSU370**

- Simple to use with high-pressure quick drying mist Effective results every time by every user across a wide range of environments

| » 360x370x510mm (WxLxH)          |       |     |                       |  |
|----------------------------------|-------|-----|-----------------------|--|
| 5L                               | 45W   |     | 7.2KG                 |  |
| Capacity                         | Motor |     | Weight                |  |
| Max Pump Pressure 15Bar/217PSI   |       |     |                       |  |
| Optimum Spray Distance 1.0m      |       |     |                       |  |
| Droplet Size <b>65-75Microns</b> |       |     |                       |  |
| Power Cord 10.0m Cleaning Ra     |       |     | ng Range <b>12.0m</b> |  |
| Flow 150ml/min                   |       | Hos | e Length <b>2.2m</b>  |  |
|                                  |       |     |                       |  |
|                                  |       |     |                       |  |



# RSU150NX



| 5L   | 6HRS         |                                     | 13.0KG               |
|--|--------------|-------------------------------------|----------------------|
| Capacity                                   | Battery Life |                                     | Weight               |
| Optimum Spray Distance<br>/ Max 1.0 / 2.0m |              | Max Pump Pressure<br>15Bar / 217PSI |                      |
| Droplet Size<br><b>60-70Microns</b>        |              | Tank                                | Empty <b>31mins</b>  |
| Flow <b>140ml/min</b>                      |              | Hose                                | e Length <b>1.5m</b> |







# MAINS CABLE BACKPACKS

Compact, comfortable and convenient, the RSV150 goes wherever you go, making it the perfect cleaning solution for tight and awkward cleaning.









Available as a standard or HEPA model

- 1 Breathable Mesh Panel
- 2 Integrated Hand Control
- 3 Adjustable Cushioned Shoulder Straps





### **Increase Cleaning Productivity**

- » Compact, comfortable and convenient design
- Generous 5L capacity
   Extra-long 15.0m cable
   User comfort with ergonomic harness
- » Emptying with no dust and no mess
- » Certified HEPA13 filtration down to 0.3 microns
- at 99.95% efficiency (HEPA Model Only)
- » 330x330x570mm (WxLxH)

| Capacity                       | Motor            | We                    | <b>.4/7.8KG</b> ight 150/150H                    |  |  |
|--------------------------------|------------------|-----------------------|--|--|--|
| Power <b>230V / AC 50/60Hz</b> |                  |                       |  |  |  |
| Power Cord                     | Power Cord 15.0m |                       | ng Range <b>32.4m</b>                            |  |  |
| Suction H <sub>2</sub> 0       | 2300mm           | Kit <b>AAT</b> :      | <b>30E</b> (see page 45)                         |  |  |
|                                | Power Cord       | Power <b>230V /</b> / | Power 230V / AC 50/60H Power Cord 15.0m Cleaning |  |  |



# Illumatio QUICK

### **NUMATIC QUICK NQ100**



- » Up to 120mins of powerful cordless cleaning
   » 1L Pod capacity
   » Advanced user comfort
   » Interchangeable Lithium-Ion battery
   » Clean dirt disposal

- » 240x270x1220mm (WxLxH)

|                                       | ,           | ,                 |                                   |
|---------------------------------------|-------------|-------------------|-----------------------------------|
| <b>1L</b><br>Capacity                 | <b>30</b> 0 | <b>DW</b><br>otor | 3.2KG<br>Weight                   |
| Power <b>25.2V</b>                    |             |                   | ntime 120mins<br>ins per battery) |
| Charge Time 2hrs 30mins (per battery) |             | Access            | ories (see page 44)               |






# **POWERFUL CORDLESS DUST-FREE**







- 1 Battery Removal
- 2 & 5 Motorised Brush Head
- 3 Ergonomic Handle for Extra Comfort
- 4 Handy Tools



All the benefits of cordless cleaning with no dust, no mess, no fuss.

Bigger Capacity Compacts dust inside the pod for more capacity than most leading vacuums.

See page 44 for details.

Visit: numatic.com/quick

# **NX300 PRO CORDLESS NETWORK INCREASES PRODUCTIVITY**



NX300 Pro Cordless Network delivers professional level performance to a versatile and expanding range. Quicker, safer and more convenient, switching to Pro Cordless raises productivity levels, saving time and money.



**Up to 2500** 

Charge Cycles

Power the Entire Fleet with **NX300 Pro Cordless Network** NBV190NX



» Newly developed high-performance digital motor » Part of NX300 Pro Cordless Network

350W

Motor

Power Lithium Battery 36V

7.7KG

Weight

Charge 1hr 80% / 2hr 100%

Kit **AS55** (see page 44)

» 80mins runtime and 1 hour fast charge » 340x340x340mm (WxLxH)

8L

Capacity

Runtime Hi 50 / Lo 80mins

Suction H<sub>2</sub>0 1896mn

RSB150NX





80mins runtime and 1 hour fast charge

» Bumper for wall and door protection

360x340x415mm (WxLxH)

Capacity

9L 350W 8.1KG

> Motor Power Lithium Battery 36V

Weight

Runtime Hi 50 / Lo 80mins Charge 1hr 80% / 2hr 100% Suction H<sub>2</sub>0 1896mm Kit **AS55** (see page 44)



» Newly developed high-performance digital motor

» Part of NX300 Pro Cordless Network » 80mins runtime and 1 hour fast charge

Convenient lift-off storage caddy

» Telescopic handle for ease of transit and storage

» 400x450x615mm (WxLxH)

| <b>9L</b><br>Capacity                  | <b>350</b>  | <b>DW</b> otor | 10.5KG<br>Weight        |
|--|-------------|----------------|-------------------------|
| Po                                     | wer Lithiun | n Battery 30   | 6 <b>V</b>              |
| Runtime Hi 50 / Lo 80mins              |             | Charge 1       | hr 80% / 2hr 100%       |
| Suction H <sub>2</sub> 0 <b>1896mm</b> |             | Kit <b>AS</b>  | <b>55</b> (see page 44) |





- » Newly developed, high-performance digital motor » Part of NX300 Pro Cordless Network
- » 80mins runtime and 1 hour fast charge » User comfort with ergonomic harness
- » Certified HEPA13 filtration down to 0.3 microns
- at 99.95% efficiency (HEPA Model Only)

» 330x330x570mm (WxLxH)

| <b>5L</b><br>Capacity                  | <b>350W</b> Motor | <b>8.2/8.6KG</b> Weight 150/150H |  |
|--|-------------------|----------------------------------|--|
| Power Lithium Battery <b>36V</b>       |                   |                                  |  |
| Runtime Hi 50 / Lo 80mins              |                   | Charge 1hr 80% / 2hr 100%        |  |
| Suction H <sub>2</sub> 0 <b>1896mm</b> |                   | Kit <b>AAT30E</b> (see page 45)  |  |

Visit: numatic.com/NX300

Note: Higher ambient temperatures may increase charge time

300Wh

**Battery Capacity** 

1hr 80% / 2hrs 100%

Charge Time

NX300 Battery 3 Year Warranty.

2.0KG

Weight

# **STEEL TOPS**

Featuring an all-steel head, the Steel Tops range not only provides exceptional strength, it's also quiet and efficient.







### NQS250 / NQS250B



- 780W 10.0KG 9L Motor Weight Capacity Power 230V / AC 50/60 Hz

Cleaning Range 26.0m Kit AS0 (see page 44)

» All-steel construction, tough and hard-wearing » Blower facility and diffuser attachment (NQS250B)

» Quick and easy cable replacement

» 355x355x395mm (WxLxH)

Power Cord 10.0m

Suction H<sub>2</sub>0 2350mm

» Plugged cable

1 Choice of Blower or Diffuser System (NQS250B) 2 Professional Specification Throughout

**NVQ240** 



- » Heavy-duty, all-steel power head
- » Quick and easy cable replacement
- » Plugged cable» 360x370x415mm (WxLxH)

| <b>9L</b><br>Capacity           | <b>780W</b> Motor        |                      | 9.65KG<br>Weight        |  |  |
|---------------------------------|--------------------------|----------------------|-------------------------|--|--|
| Pov                             | Power 230V / AC 50/60 Hz |                      |                         |  |  |
| Power Cord 10.0m                |                          | Cleaning Range 26.0m |                         |  |  |
| Suction H <sub>2</sub> 0 2350mm |                          | Kit <b>A</b> S       | <b>SO</b> (see page 44) |  |  |

# **NVQ370**



- » Heavy-duty, all-steel power head
- » Quick and easy cable replacement
- » Plugged cable» 355x355x485mm (WxLxH)

| <b>15L</b> Capacity                         | 780W<br>Motor |                | 10.0KG<br>Weight        |
|---|---------------|----------------|-------------------------|
| Power <b>230V /</b> Power Cord <b>10.0m</b> |               |                | ng Range <b>26.0m</b>   |
| Suction H₂0 <b>2350mm</b>                   |               | Kit <b>A</b> s | <b>S0</b> (see page 44) |



- » Heavy-duty, all-steel power head
- » Tough Structofoam construction
- » Quick and easy cable replacement
- » Plugged cable» 355x355x485mm (WxLxH)

| <b>15L</b> Capacity                    | <b>780W</b> Motor |                             | 11.35KG<br>Weight       |  |
|--|-------------------|-----------------------------|-------------------------|--|
| Power 230V / AC 50/60 Hz               |                   |                             |                         |  |
| Power Cord 10.0m                       |                   | Cleaning Range <b>26.0m</b> |                         |  |
| Suction H <sub>2</sub> 0 <b>2350mm</b> |                   | Kit <b>A</b> \$             | <b>30</b> (see page 44) |  |

# **MICROLINE**



- » Certified HEPA13 filtration down to 0.3 microns at 99.95% efficiency
- » Quick and easy cable replacement
- » Emptying with no dust and no mess
- Plugged cable rewind
   355x355x465mm (WxLxH)

| <b>12L</b><br>Capacity                 | <b>620W</b><br>Motor |                | 10.0KG<br>Weight        |  |  |
|--|----------------------|----------------|-------------------------|--|--|
| Power 230V / AC 50/60 Hz               |                      |                |                         |  |  |
| Power Cord 12.5m                       |                      | Cleani         | ng Range <b>29.6m</b>   |  |  |
| Suction H <sub>2</sub> 0 <b>2300mm</b> |                      | Kit <b>A</b> S | <b>SO</b> (see page 44) |  |  |

# **CRQ370**



- » Certified HEPA13 filtration down to 0.3 microns at 99.95% efficiency
- » Advanced 5-Stage filtration system » Quick and easy cable replacement
- » Conforms to ISO 14644-1 Class 5 classification
- Emptying with no dust and no mess355x355x485mm (WxLxH)

| <b>10L</b><br>Capacity       | 960W<br>Motor |       | 11.5KG<br>Weight       |  |  |
|------------------------------|---------------|-------|------------------------|--|--|
| Power 230V / AC 50/60 Hz     |               |       |                        |  |  |
| Power Cord 10                | ).0m          | Clean | ing Range <b>26.0m</b> |  |  |
| Suction H <sub>2</sub> 0 230 | 0mm           | Kit A | <b>1</b> (see page 44) |  |  |
|                              |               |       |                        |  |  |

# ADVANCED **FILTRATION**

High-efficiency 5-stage pre and post-motor **HEPA13** filtration conforming to ISO 14644-1 Class 5 cleanroom classification.







# **AIRCRAFT LINE Aircraft Compliant**

# **RSAV130** (X

- » Aircraft specification
- » User comfort with ergonomically designed harness
- » High-efficiency filtration
- » 250x360x440mm (WxLxH)

| 6L                                     | 960W  |        | 7.37KG                |  |  |
|--|-------|--------|-----------------------|--|--|
| Capacity                               | Motor |        | Weight                |  |  |
| Power 110V / AC 400Hz                  |       |        |                       |  |  |
| Power Cord 18.2m                       |       | Cleani | ng Range <b>43.2m</b> |  |  |
| Suction H <sub>2</sub> 0 <b>2400mm</b> |       | Kit A3 | OA (see page 45)      |  |  |

The Pro Harness offers enhanced operator comfort, increasing cleaning efficiency, capability and



# **AVQ250**



- » All-steel construction, tough and hard-wearing
   » Patented MicroTec noise reduction system
- » Aircraft specification
- » Plugged cable
- » 340x340x395mm (WxLxH)

| 9L                                     | 960W  |              | 10.62KG                 |  |
|--|-------|--------------|-------------------------|--|
| Capacity                               | Motor |              | Weight                  |  |
| Power 110V / AC 400Hz                  |       |              |                         |  |
| Power Cord 18.2m                       |       | Clean        | ing Range <b>42.8m</b>  |  |
| Suction H <sub>2</sub> 0 <b>2500mm</b> |       | Kit <b>A</b> | <b>S4</b> (see page 44) |  |



- » Heavy-duty, all-steel power head » Patented MicroTec noise reduction system
- » Aircraft specification
- » Plugged cable

| 15L                                    | 960W  |              | 11.82KG                 |  |  |
|--|-------|--------------|-------------------------|--|--|
| Capacity                               | Motor |              | Weight                  |  |  |
| Power 110V / AC 400Hz                  |       |              |                         |  |  |
| Power Cord 18.2m                       |       | Cleani       | ing Range <b>42.8m</b>  |  |  |
| Suction H <sub>2</sub> 0 <b>2500mm</b> |       | Kit <b>A</b> | <b>S4</b> (see page 44) |  |  |



# **DRY BIG CAPACITY VACUUMS**

# Power and performance in industrial terms needs to be matched to long-life, reliability and user satisfaction.

The NVQs are ideal for numerous trades where they must frequently be moved from one place to another, while still requiring a large and generous working capacity.

### NVQ570/NVDQ570



- » Tough Structofoam construction
- » Directional castors for ease of transit
- » Quick and easy cable replacement

Suction H<sub>2</sub>0 2300mr

| 4 10X4 10X04011 | IIIII (VVXLXIII) |   |  |
|-----------------|------------------|---|--|
|                 | I                | 1 |  |

| <b>23L</b><br>Capacity          | 960W<br>Motor (NVQ) |      | 960Wx2<br>Motor (NVDQ)   |  |
|---------------------------------|---------------------|------|--------------------------|--|
| Power <b>230V / AC 50/60 Hz</b> |                     |      |                          |  |
| Weight 16.5kg (NVQ)             |                     | Wei  | ght 18.7kg (NVDQ)        |  |
| Power Cord 10.0m                |                     | Clea | aning Range <b>26.8m</b> |  |



- » Tough Structofoam construction
- » Pull handle for ease of transit
- » Large rear wheels provide excellent mobility » Quick and easy cable replacement
- » 490x800x880mm (WxLxH)

| · · · · · · · · · · · · · · · · · · · |                          |                      |                          |  |  |
|---------------------------------------|--------------------------|----------------------|--------------------------|--|--|
| <b>40L</b><br>Capacity                | 960W<br>Motor (NVQ)      |                      | 960Wx2<br>Motor (NVDQ)   |  |  |
| F                                     | Power 230V / AC 50/60 Hz |                      |                          |  |  |
| Weight 25.2kg (NVQ)                   |                          | Wei                  | ght <b>27.7kg</b> (NVDQ) |  |  |
| Power Cord 10.0m                      |                          | Cleaning Range 26.8m |                          |  |  |
| Suction H <sub>2</sub> 0 2300mm       |                          | Kit                  | <b>BS2</b> (see page 45) |  |  |






1 Large Rear Wheels for Excellent Mobility 2 High Efficiency ProFlo Dry Floor Tool

# **STRUCTOFOAM**

Kit BS2 (see page 45)

Cellular structure provides strength and flexibility

- » Incredibly tough and long-lasting
- » Hard-wearing and chemical-resistant
- » Exceptional strength-to-weight ratio
- » Lightweight and ergonomic structure



# **WET OR DRY VACUUMS**

# Professional power and performance in either mode.

- » Ready for Wet or Dry
- » Built to Last
- » Powerful & Professional Performance

# WV370

- » Wet or dry
- » Compact and easy to store
- » Lightweight with easy carry handle
- » Convenient emptying
- » 360x370x510mm (WxLxH)

| 15L                                    | 9L           |                       | 1000W |
|--|--------------|-----------------------|-------|
| Capacity Dry                           | Capacity Wet |                       | Motor |
| Power 230V / AC 50/60Hz                |              | Weight 9.0kg          |       |
| Power Cord 10.0m                       |              | Cleaning Range 26.0m  |       |
| Suction H <sub>2</sub> 0 <b>2400mm</b> |              | Kit A11 (see page 45) |       |



- Wet or dryCompact and capableConvenient folding transit handle
- » Large rear wheels for ease of movement
- » 360x370x710mm (WxLxH)

| 27L                                    | 20L          |                              | 1000W |
|--|--------------|------------------------------|-------|
| Capacity Dry                           | Capacity Wet |                              | Motor |
| Power <b>230V / AC 50/60Hz</b>         |              | Weight 9.6kg                 |       |
| Power Cord 10.0m                       |              | Cleaning Range 26.0m         |       |
| Suction H <sub>2</sub> 0 <b>2400mm</b> |              | Kit <b>A11</b> (see page 45) |       |

# WV570 / WVD570



- » Easy emptying » Heavy-duty Structofoam construction » Convenient cable replacement system
- » 415x415x645mm (WxLxH)

|   | <b>23L</b> Capacity Dry | <b>15L</b><br>Capacity<br>Wet | N | Motor<br>(WV)       | 1000Wx2<br>Motor<br>(WVD) |
|---|-------------------------|-------------------------------|---|---------------------|---------------------------|
|   |                         | Hz                            |   |                     |                           |
| ĺ | Weight 16.3kg (WV)      |                               |   | Weight 18.5kg (WVD) |                           |
|   | Power Cord 10.0m        |                               |   | Clean               | ing Range <b>26.8m</b>    |
|   |                         |                               |   |                     |                           |

### WV900 / WVD900



- » Wet or dry
- » Easy empty tip handle
  » Heavy-duty Structofoam construction » Convenient cable replacement system

| » 490X000X000ITIITI (VVXLXTI) |          |       |                        |                         |  |       |
|-------------------------------|----------|-------|------------------------|-------------------------|--|-------|
| 40L                           | 32L      | 10    | 00W                    | 1000Wx2                 |  |       |
| Capacity                      | Capacity | Motor |                        | Motor                   |  |       |
| Dry                           | Wet      | (WV)  |                        | (WV)                    |  | (WVD) |
| Power 230V / AC 50/60Hz       |          |       |                        |                         |  |       |
| Weight 25.2kg (WV)            |          |       | Weig                   | ht <b>28.0kg</b> (WVD)  |  |       |
| Power Cord 10.0m              |          | Clean | ing Range <b>26.8m</b> |                         |  |       |
| Suction H 0 2400mm            |          |       | Kit B                  | <b>CQ</b> (coo page 45) |  |       |



# **WET VACUUMS**

# Enhanced with increased efficiency in wet pick-up.

- » Unrivalled Performance
- » Huge Capacity
- » Easy, Clean & Safe Emptying







- » Wet use only
- » Easy emptying with rear dump hose
- » Heavy-duty Structofoam construction
  » Rear Auto Pump for continuous water extraction
- (AP model only)
- » 684x785x935mm (WxLxH)

| 70L                             | 1000       | W                    | 1000Wx2                     |
|---------------------------------|------------|----------------------|-----------------------------|
| Capacity                        | Motor (WV) |                      | Motor (WVD)                 |
| Power <b>230V / A</b>           | C 50/60Hz  | Weigh                | nt <b>31.5kg</b> (WV1800DH) |
| Weight 34.0kg (W                | /VD1800DH) | Weigh                | t <b>40.4kg</b> (WVD1800AP) |
| Power Cord 10.0m                |            | Cleaning Range 26.8m |                             |
| Suction H <sub>2</sub> 0 2400mm |            | Kit                  | BS7 (see page 45)           |



- » Wet use only
- » Robust steel chassis for ease of transit
- » Easy emptying with rear dump hose » Heavy-duty Structofoam head construction » Convenient cable replacement system
- » Rear Auto Pump for continuous water extraction
- (AP model only) » 640x530x970mm (WxLxH)

| `                                      |                           |
|--|---------------------------|
| 70L                                    | 1000Wx2                   |
| Capacity                               | Motor                     |
| Power <b>230V</b> /                    | AC 50/60Hz                |
| Weight 28.9kg (WVD2000DH)              | Weight 36.4kg (WVD2000AP) |
| Power Cord 10.0m                       | Cleaning Range 26.8m      |
| Suction H <sub>2</sub> 0 <b>2400mm</b> | Kit BS7 (see page 45)     |
|  | •                         |

- 1 Auto Pump for Continuous Water Extraction 2 High Efficiency ProFlo Wet Floor Tool
- Continuous pumping operation precisely where you need it.

Auto Pump (AP) enables for continuous pumping operations and maximum cleaning productivity.



Image for illustration purposes only.





# **WET & DRY VACUUMS**

# Effortlessly switch from dry to wet with no hassle.

- » Wet & Dry System
- » High Efficiency
- » A Tool for Every Job

The unique high-efficiency, dual washable filter system in the CV range enables the user to switch from dry to wet pick-up without the hassle of changing filters or kits.









- Wet and dry pick-up
- » Heavy-duty Structofoam construction » 415x415x645mm (WxLxH)

| 13L                                    | 13L   1000              |                      | 1000Wx2                   |  |  |  |
|--|-------------------------|----------------------|---------------------------|--|--|--|
| Capacity                               | Motor (CV)              |                      | Motor (CVD)               |  |  |  |
| F                                      | Power 230V / AC 50/60Hz |                      |                           |  |  |  |
| Weight 16.3k                           | Weight 16.3kg (CV)      |                      | eight <b>18.5kg</b> (CVD) |  |  |  |
| Power Cord 10.0m                       |                         | Cleaning Range 26.8m |                           |  |  |  |
| Suction H <sub>2</sub> 0 <b>2400mm</b> |                         | Kit                  | BS8 (see page 45)         |  |  |  |



- » Wet and dry pick-up
- » Washable filter system» Heavy-duty Structofoam construction
- Convenient emptying490x800x880mm (WxLxH)

| 00Wx2             | 30L                         | 1000                                   | w | 1000Wx                    |  |
|-------------------|-----------------------------|--|---|---------------------------|--|
| otor (CVD)        | Capacity                    | Motor (                                |   | Motor (CVD)               |  |
|                   | Р                           | Power 230V / AC 50/60Hz                |   |                           |  |
| 5.5kg (CVD)       | Weight 25.2kg               | Weight 25.2kg (CV)                     |   | eight <b>27.7kg</b> (CVD) |  |
| ange <b>26.8m</b> | Power Cord 1                | Power Cord 10.0m                       |   | aning Range <b>26.8m</b>  |  |
| ee page 45)       | Suction H <sub>2</sub> 0 24 | Suction H <sub>2</sub> 0 <b>2400mm</b> |   | <b>BS8</b> (see page 45)  |  |



- 1 Dry Floor Tool Pick-up
- 2 Clean, Dry Floors Again and Again
- 3 Colonic Wet and Dry System
- 4 Easy Emptying





Tipping Handle for Easy Emptying

# **CARPET EXTRACTION VACUUMS**

### The All-Purpose 4-in-1 carpet and upholstery cleaners.

- » Ready for Anything
- » Powerful Cleaning Results
- » Tank Within a Tank

The compact CleanTecs provide the combination of a PowerFlo liquid pump supply and efficient wet pick-up facility, all incorporated in one unit.




- » Wet, spray extraction carpet cleaning,
- upholstery cleaning and car valeting » Compact and easy to store
- » Large rear wheels for ease of transit
- » 360x370x510mm (WxLxH)

| 15L<br>Capacity Dry                    | <b>9L</b><br>Capacity Wet |                      | <b>1000W</b> Motor      |
|--|---------------------------|----------------------|-------------------------|
| Power 230V / AC 5                      |                           | ,                    | eight 11.23kg           |
| Power Cord 10.0m                       |                           | Cleaning Range 26.8m |                         |
| Suction H <sub>2</sub> 0 <b>2400mm</b> |                           | Kit A4               | <b>0A</b> (see page 45) |



- 2 Fishtail Extraction Tool
- 3 Convenient Carry Handle






- Compact and easy to store
   Large rear wheels and folding handle for ease of transit
- » 360x370x710mm (WxLxH)

| 27L                             | 20           | )L            | 1000W                   |
|---------------------------------|--------------|---------------|-------------------------|
| Capacity Dry                    | Capacity Wet |               | Motor                   |
| Power <b>230V / AC</b> 9        | 50/60Hz      | Weight 14.4kg |                         |
| Power Cord 10.0m                |              | Cleani        | ing Range <b>26.8m</b>  |
| Suction H <sub>2</sub> 0 2400mm |              | Kit A4        | <b>0A</b> (see page 45) |



Ergonomic convenient folding handle, large rear wheels and directional castors ease stability during transit.





# **CARPET EXTRACTION VACUUMS**

The All-Purpose 4-in-1 carpet and upholstery cleaners.

- » Ready for Anything
- » Powerful Cleaning Results
- » Tank Within a Tank

The CleanTec range provides powerful cleaning results with tough construction, huge capacity and long-life TwinFlo bypass motors so it is easy to store, always on hand and ready for anything.

The PowerFlo pump system injects the cleaning solution deep into the carpets in a continuous deep cleaning cycle.

### CT570 / CTD570



- » Wet, spray extraction carpet cleaning, upholstery cleaning and car valeting
- » Heavy-duty Structofoam construction
- » Convenient cable replacement system » 415x415x645mm (WxLxH)

| 23L                                    | 15L      | 1000W                |                        | 1000Wx2           |  |       |
|--|----------|----------------------|------------------------|-------------------|--|-------|
| Capacity                               | Capacity | Motor                |                        | Motor             |  | Motor |
| Dry                                    | Wet      | (CT)                 |                        | (CTD)             |  |       |
|  | Power 2  | 30V /                | AC 50/60               | Hz                |  |       |
| Weight 18.98kg (CT)                    |          | Weig                 | ht <b>20.0kg</b> (CTD) |                   |  |       |
| Power Cord 10.0m                       |          | Cleaning Range 26.8m |                        |                   |  |       |
| Suction H <sub>2</sub> 0 <b>2400mm</b> |          |                      | Kit A4                 | 11A (see page 45) |  |       |

### CT900 / CTD900



- » Wet, spray extraction carpet cleaning, upholstery cleaning and car valeting
- » Heavy-duty Structofoam construction
- » 490x800x880mm (WxLxH)

| 40L                                    | 32L                     | 1000W |                      | 1000Wx2                 |  |  |  |
|--|-------------------------|-------|----------------------|-------------------------|--|--|--|
| Capacity                               | Capacity                | 1     | Motor                | Motor                   |  |  |  |
| Dry                                    | Wet                     |       | (CT)                 | (CTD)                   |  |  |  |
|  | Power 230V / AC 50/60Hz |       |                      |                         |  |  |  |
| Weight                                 | Weight 25.28kg (CT)     |       | Weigl                | ht <b>27.78kg</b> (CTD) |  |  |  |
| Power                                  | Power Cord 10.0m        |       | Cleaning Range 26.8m |                         |  |  |  |
| Suction H <sub>2</sub> 0 <b>2400mm</b> |                         |       | Kit A4               | I1A (see page 45)       |  |  |  |





2 Upholstery Tool

- » Uniform fluid distribution
- » Easy pull-back movement
- » Heavy-duty, Aluminium construction





1 High-performance, TriJet Carpet Extraction Tool 2 Upholstery and Spot Cleaning Extraction Tool



- » Carpet cleaning and upholstery / spot cleaning tools » Uniform fluid distribution with TriJet carpet extraction
- » Hi-Lo system for pressure when you need it

| 15L                             | 1000                | W                    | 35.0KG                   |
|---------------------------------|---------------------|----------------------|--------------------------|
| Capacity                        | Motor               |                      | Weight                   |
| F                               | Power <b>230V /</b> | AC 50/60             | OHz                      |
| Power Cord 10.0m                |                     | Cleaning Range 26.8m |                          |
| Suction H <sub>2</sub> 0 2400mm |                     | Kit B                | <b>S27</b> (see page 45) |



# **DRY KITS**



|        | 001140  |  |  |
|--------|---|--|--|
| 601008 | Stainless Steel Extension Tube (x2)               |  |  |
| 601052 | Stainless Steel Tube Bend with NPC Volume Control |  |  |
| 915909 | 2.2m FloMax Conical Hose                          |  |  |
| 912358 | 280mm ProFlo Combination Floor Tool               |  |  |
| 601141 | Double Taper Hose / Tool Adaptor                  |  |  |
| 601142 | 240mm Crevice Tool                                |  |  |
| 601144 | 65mm Dusting Tool                                 |  |  |
| 601145 | 150mm Mattress Tool                               |  |  |
| 601146 | 150mm Slide-on Brush Tool                         |  |  |
|        |   |  |  |



914761 1.9m Parallel Hose

601142 240mm Crevice Tool

601144 65mm Soft Dusting Brush

902070 300mm Combination Floor Tool



915907 2.2m Parallel Hose

601142 240mm Crevice Tool

601144 65mm Soft Dusting Brush

601145 150mm Upholstery Tool

902071 300mm Combination Floor Tool

601141 Double Taper Hose / Tool Adaptor

601146 150mm Slide-on Brush for Upholstery Tool





# **SPECIALISED KITS**





| 914980 | 1.2m RSB / RSV150 Hose                      | 602102 | 2.4m NuFlex Threade |
|--------|---|--------|---------------------|
| 915195 | Aluminium Tube Bend with NPC Volume Control | 602931 | Aluminium Tube Ben  |
| 914759 | Aluminium Telescopic Wand                   | 602930 | Aluminium Extension |
| 902923 | 270mm ProFlo Combination Floor Tool         | 602384 | 400mm ProFlo Brush  |
| 601141 | Double Taper Hose / Tool Adaptor            | 602256 | 65mm Soft Dusting E |
| 601144 | 65mm Soft Dusting Brush                     | 602160 | 305mm ABS Crevice   |
|        |   |        |                     |
|        |   |        |                     |



| 602102 | 2.4m NuFlex Threaded Hose                 |  |  |
|--------|---|--|--|
| 602931 | Aluminium Tube Bend                       |  |  |
| 602930 | Aluminium Extension Tube (x2)             |  |  |
| 602384 | 400mm ProFlo Brush / Rubber Floor Tool    |  |  |
| 602256 | 65mm Soft Dusting Brush with Tube Adaptor |  |  |
| 602160 | 305mm ABS Crevice Tool                    |  |  |
|        | •   |  |  |

# **WET KITS**





KIT BS7 - 607249



# **NX300**

# **SPECIALISED KITS**

KIT AS55 - 916028







# **EXTRACTION KITS**



| 4.0m CleanTec Extraction Hose                |
|--|
| Stainless Steel Extraction Trigger Bend Tube |
| Stainless Steel Lower Tool Extraction Tube   |
| Stainless Steel Extension Tube               |
| 275mm Fishtail Extraction Tool               |
| 100mm Upholstery Extraction Tool             |
| CleanTec Trigger Valve and Spray Tube        |
|  |



| 601399 | 4.0m CleanTec Extraction Hose                   |  |  |  |
|--------|---|--|--|--|
| 601009 | 09 Stainless Steel Extraction Trigger Bend Tube |  |  |  |
| 601006 | Stainless Steel Lower Tool Extraction Tube      |  |  |  |
| 601008 | Stainless Steel Extension Tube                  |  |  |  |
| 601423 | 275mm Aluminium Extraction Tool                 |  |  |  |
| 601225 | 100mm Upholstery Extraction Tool                |  |  |  |
| 601968 | CleanTec Trigger Valve and Spray Tube           |  |  |  |
|        | •   |  |  |  |



602920 Stainless Steel Extension Tube (x2) 602937 145mm Stainless Steel Extension Tube 602200 | CleanTec TriJet Extraction Floor Tool 602300 CleanTec TriJet Trigger and Solution Tube 602225 100mm Upholstery Extraction Tool

# **ProCare**

Advanced, professional cleaning for the collection and control of dust and hazardous substances.

# **ProCare Contents**

| NuTec Industrial | 48    |
|------------------|-------|
| Anti-Static      | 48    |
| DustCare         | 48    |
| TradeLine        | 49    |
| H-Class          | 50-51 |
| ProCare Kits     | 52    |









# **NUTEC INDUSTRIAL**



- » Industrial vacuum suitable for many applications including; boiler cleaning, floor cleaning,
- metalworking, dirt, dust or debris, and more » 510x510x960mm (WxLxH)

| 35L                                  | 1000Wx2            |         | 20.8KG                 |  |
|--------------------------------------|--------------------|---------|------------------------|--|
| Capacity                             | Motor              |         | Weight                 |  |
| Power 230V / AC 50/60Hz              |                    |         |                        |  |
| Power Cord 10.0m                     |                    | Cleanir | ng Range <b>26.8m</b>  |  |
| Suction H <sub>2</sub> 0 <b>24</b> 0 | Suction H₂0 2400mm |         | <b>5</b> (see page 52) |  |

# NTD2003



- » Big capacity machine with TwinFlo 2-motor Structofoam power head
- » Stainless steel container with heavy-duty chassis
- » 560x660x1145mm (WxLxH)

| 60L 1000                               |                   | 33.0KG                 |  |  |  |  |
|--|-------------------|------------------------|--|--|--|--|
| Motor                                  |                   | Weight                 |  |  |  |  |
| Power 230V / AC 50/60Hz                |                   |                        |  |  |  |  |
| .0m                                    | Cleanir           | ng Range <b>26.8m</b>  |  |  |  |  |
| Suction H <sub>2</sub> 0 <b>2400mm</b> |                   | <b>5</b> (see page 52) |  |  |  |  |
| ).                                     | wer <b>230V</b> / | wer 230V / AC 50/60H   |  |  |  |  |

### NTT2003



- » Triplex power head in all-steel construction
- » Mounted on an all-steel heavy-duty chassis, easily demounted for emptying
- » 560x660x1075mm (WxLxH)

NES900/A / NED900/A

| 60L                                    | 1000Wx3 |         | 36.0KG                 |  |  |
|--|---------|---------|------------------------|--|--|
| Capacity                               | Motor   |         | Weight                 |  |  |
| Power 230V / AC 50/60Hz                |         |         |                        |  |  |
| Power Cord 10.0m                       |         | Cleanir | ng Range <b>26.8m</b>  |  |  |
| Suction H <sub>2</sub> 0 <b>2400mm</b> |         | Kit BS  | <b>5</b> (see page 52) |  |  |

# M-CLASS H-CLASS

What type of vacuum extractor do you need?



General dust. mixed dust, gypsum



Soft / hardwood, silica, masonry, paint, plastic, ceramic



Asbestos

For guidance only. Find out more at www.hse.gov.uk/construction

# 1 HEPA13 Filter Cartridge

Certified HEPA13 filtration down to 0.3 microns at 99.95% efficiency. Our most advanced filtration in the Numatic commercial vacuum range.

# 2 High-efficiency TriTex Filter

Traps fine dust within its high-efficiency, triple-layer membrane.

# Triple-layer HepaFlo Filter Bag

3-layers of high-efficiency filter material and unique self-seal tab, allowing for easy, clean and hygienic emptying.





### **TEM390A**

**TEL390S** 

18L

Capacity

Power Cord 10.0m

Suction H<sub>2</sub>0 2300mm

» M-Class Compliant - IEC/EN 60335-2-69

**TRADELINE** 

TradeLine comes in.

» L-Class Compliant - IEC/EN 60335-2-69

» Large rear wheels for ease of transit » Tough, durable and built to last » 400x450x600mm (WxLxH)

 $^{\mbox{\tiny *}}$  Huge cleaning reach, with 10m cable and 2.9m hose

620W

Motor

Power 230V / AC 50/60Hz

Compact, tough and highly mobile, the

cover almost any application.

With more and more emphasis being put on health

and safety within the construction industry, the demand for extraction vacuums increases year on year, this is where the

10.8KG

Weight

Cleaning Range 28.0m Kit **AS10** (see page 52)

TradeLine vacuum combines a specialist on

tool extractor with a big clean-up machine to


- » Huge cleaning reach, with 10m cable and 2.9m hose » Large rear wheels and extending pull handle
- for ease of transit
- » 2200W Automatic power take-off
- » 400x450x1010mm (WxLxH)

| 18L<br>Capacity                 | <b>62</b> 0 |               | 14.3KG<br>Weight         |  |
|---------------------------------|-------------|---------------|--------------------------|--|
| Power 230V / AC 50/60Hz         |             |               |                          |  |
| Power Cord 10.0m                |             | Cleani        | ing Range 28.0m          |  |
| Suction H <sub>2</sub> 0 2300mm |             | Kit <b>AS</b> | <b>510</b> (see page 52) |  |



1 Specialist FreeFlo Tool for Hard Floors 2 Long 10m Cable





# **ANTI-STATIC**



- » Full anti-static specification in machine and accessories » The non-conductive specification continually
- discharges the static build up during use

| 35L                             | 960W  |               | 23.0KG                |  |  |
|---------------------------------|-------|---------------|-----------------------|--|--|
| Capacity                        | Motor |               | Weight                |  |  |
| Power <b>230V / AC 50/60Hz</b>  |       |               |                       |  |  |
| Power Cord 8.5m                 |       | Cleanir       | ng Range <b>25.6m</b> |  |  |
| Suction H <sub>2</sub> 0 2500mm |       | Kit <b>HA</b> | S (see page 52)       |  |  |

# **DUSTCARE**

NES570/A / NED570/A



- » Optional Auto Operation Power Outlet Socket » Low flow and bag full indicator
- » High-efficiency internal AirFlo system
- » 415x415x645mm (WxLxH)

| 23L  | 620W        |           | 620Wx2                 |  |
|--|-------------|-----------|------------------------|--|
| Capacity                                       | Motor (NES) |           | Motor (NED)            |  |
| Power Outlet Socket Optional (NES570A/NED570A) |             |           |                        |  |
| Power 230V / AC                                | 50/60Hz     | Weight 18 | 8/20kg (NES/NED)       |  |
| Power Cord 10.0m                               |             | Cleanir   | ng Range <b>26.8m</b>  |  |
| Suction H <sub>2</sub> 0 2300mm                |             | Kit BS    | <b>5</b> (see page 52) |  |



- » Optional Auto Operation Power Outlet Socket
- » Low flow and bag full indicator
- » High-efficiency internal AirFlo system
- » 490x800x880mm (WxLxH)

| 40L  | 620W        |          | 620Wx2                 |
|--|-------------|----------|------------------------|
| Capacity                                       | Motor (NES) |          | Motor (NED)            |
| Power Outlet Socket Optional (NES900A/NED900A) |             |          |                        |
| Power 230V / AC 50/60Hz                        |             | Weight 2 | 7/29kg (NES/NED)       |
| Power Cord 10.0m                               |             | Cleanir  | ng Range <b>26.8m</b>  |
| Suction H <sub>2</sub> 0 2300mm                |             | Kit BS   | <b>5</b> (see page 52) |

# **H-CLASS**

H-Class equipment is the legal requirement when working with high-risk, non-explosive, hazardous



dusts and materials, including asbestos.

# HZ370



- » H-Class Compliant IEC/EN 60335-2-69
- » TriTex filtration and HepaFlo filter bags
- » Compact and ready to go
- » Powerful, long-life 960W motor
- » 355x355x570mm (WxLxH)

HZ570 /

**HZD570** 

| 15L                                    | 960W  |               | 11.0KG                |
|--|-------|---------------|-----------------------|
| Capacity                               | Motor |               | Weight                |
| Power 230V / AC 50/60Hz                |       |               |                       |
| Power Cord 10.0m                       |       | Cleanir       | ng Range <b>26.0m</b> |
| Suction H <sub>2</sub> 0 <b>2500mm</b> |       | Kit <b>AA</b> | 18 (see page 52)      |



- » H-Class Compliant IEC/EN 60335-2-69
- » TriTex filtration and HepaFlo filter bags
- » Compact and ready to go
- » Large rear wheels and pull handle
- » HZ390S 400x450x600mm

HZ390L 400x450x1010mm (WxLxH)

| 18L       | 960W                                   | 1 | 1.2KG      | 12.6KG             |  |  |
|-----------|--|---|------------|--------------------|--|--|
| Capacity  | Motor                                  | ١ | Veight (S) | Weight (L)         |  |  |
|           | Power 230V / AC 50/60Hz                |   |            |                    |  |  |
| Power     | Power Cord 10.0m                       |   |            | Range <b>26.0m</b> |  |  |
| Suction I | Suction H <sub>2</sub> 0 <b>2500mm</b> |   | Kit AA18   | (see page 52)      |  |  |




- » H-Class Compliant IEC/EN 60335-2-69
- » All-steel head construction
- » Plugged easy cable replacement system
   » 415x415x746mm (WxLxH)

| 23L                                | 960W       |                         | 960Wx2                           |
|------------------------------------|------------|-------------------------|----------------------------------|
| Capacity                           | Motor (HZ) |                         | Motor (HZD)                      |
| Power 230V / AC 50/60Hz            |            | Weight 18/20kg (HZ/HZD) |                                  |
| Power Cord 10.0m                   |            | Suctio                  | n H <sub>2</sub> 0 <b>2500mm</b> |
| Cleaning Range (HZ) 26.0m          |            | Cleaning F              | Range (HZD) <b>26.8m</b>         |
| Kit <b>AA19</b> (HZ) (see page 52) |            | Kit BB19                | (HZD) (see page 52)              |



- » H-Class Compliant IEC/EN 60335-2-69
- » All-steel head construction
- » Plugged easy cable replacement system » 490x800x880mm (WxLxH)

| 40L                                | 960W       |            | 960Wx2                           |
|------------------------------------|------------|------------|----------------------------------|
| Capacity                           | Motor (HZ) |            | Motor (HZD)                      |
| Power <b>230V / AC</b>             | 50/60Hz    | Weight 2   | <b>28/30kg</b> (HZ/HZD)          |
| Power Cord 10.0m                   |            | Suctio     | n H <sub>2</sub> 0 <b>2500mm</b> |
| Cleaning Range (HZ) 26.0m          |            | Cleaning F | Range (HZD) <b>26.8m</b>         |
| Kit <b>AA20</b> (HZ) (see page 52) |            | Kit BB20   | (HZD) (see page 52)              |









1 Easy, Clean and Safe Emptying 2 All-terrain Large Rear Wheels 3 Stainless Steel Gulper / Scraper Tool 4 Transit Safety Cap


Designed, engineered and built with the tradesman in mind, the HZC390 offers a safe and convenient solution for those whose work brings them into infrequent contact with hazardous dusts and materials.

# HZC390S / HZC390L

- » H-Class Compliant IEC/EN 60335-2-69
- » Disposable filter cartridge
- » Quick, simple and safe emptying
- » Compact and ready to go » HZ390S 400x450x600mm (WxLxH)

| HZ390L 400X450X 10 10mm (WXLXH)        |                  |   |                   |                    |  |  |  |
|--|------------------|---|-------------------|--------------------|--|--|--|
| 13L                                    | 1000W            |   | 12.2KG            | 13.0KG             |  |  |  |
| Capacity                               | Motor            |   | Weight (S)        | Weight (L)         |  |  |  |
|  | Power <b>230</b> | ٧ | / AC 50/60Hz      |                    |  |  |  |
| Power Cord 10.0m                       |                  |   | Cleaning F        | Range <b>26.0m</b> |  |  |  |
| Suction H <sub>2</sub> 0 <b>2500mm</b> |                  |   | Kit <b>AA16</b> ( | see page 52)       |  |  |  |
|  |                  |   |                   |                    |  |  |  |







All dust is safely contained within a sealed, HEPA13 filter cartridge, so you can breathe easy.







1 All-Steel Head

Heavy-duty power head.

2 HZC Disposable Cartridge

HEPA H13 Filter conforms to EN1822. Fits all HZC machines.

Robust Drum

Tough drum construction with all-terrain large rear wheels for stairs and uneven surfaces.

### HZC DISPOSABLE CARTRIDGE



- » HEPA H13 Filter Conforms to EN1822
- » Fits all HZC machines » 345x321x283mm (WxLxH)

13L Capacity 1.75KG





# **PROCARE KITS**



| 601008 | Stainless Steel Extension Tube (x2)               |
|--------|---|
| 601052 | Stainless Steel Tube Bend with NPC Volume Control |
| 914762 | 2.8m NuFlex Threaded Hose                         |
| 900918 | 300mm MultiFlo Dry Brush Tool                     |
| 601430 | 290mm FreeFlo Floor Tool                          |
| 601141 | Double Taper Hose / Tool Adaptor                  |
| 601142 | 240mm Crevice Tool                                |
| 601144 | 65mm Soft Dusting Brush                           |
| 601145 | 150mm Upholstery Tool                             |
| 601146 | 150mm Slide-on Brush for Upholstery Tool          |
| 601176 | Multi Size Power Tool Adaptor                     |

### KIT AA16 - 909539



| 915907 | 2.2m Parallel Hose                                 |
|--------|--|
| 601142 | 240mm Crevice Tool                                 |
| 602161 | 152mm Rubber Brush with Soft Bristles              |
| 602159 | 38 / 32mm Adaptor                                  |
| 601144 | 65mm Soft Dusting Brush                            |
| 601141 | Double Taper Hose / Tool Adaptor                   |
| 601917 | 280mm Stainless Steel Gulper / Scraper Tool (32mm) |

# KIT AA18 - 902756



| 915907 | 2.2m Parallel Hose                                 |
|--------|--|
| 601142 | 240mm Crevice Tool                                 |
| 602161 | 152mm Rubber Brush with Soft Bristles              |
| 602159 | 38 / 32mm Adaptor                                  |
| 601144 | 65mm Soft Dusting Brush                            |
| 601141 | Double Taper Hose / Tool Adaptor                   |
| 601917 | 280mm Stainless Steel Gulper / Scraper Tool (32mm) |
| 604016 | 10 x (NVM-2BH) HepaFlo Dust Bags                   |
| 908229 | Roll of 10 x 120L Waste Bags (700 x 1100mm), Grey  |
| 604165 | TriTex Filter for 305mm Machine                    |

### KIT AA19 - 902757 / AA20 - 902758



| 915907 | 2.2m Parallel Hose                                 |
|--------|--|
| 910907 | 2.211 Farallel Hose                                |
| 604017 | 10 x (NVM-3BH) HepaFlo Dust Bags (AA19 HZ570)      |
| 604019 | 10 x (NVM-4BH) HepaFlo Dust Bags (AA20 HZ900)      |
| 601142 | 240mm Crevice Tool                                 |
| 602161 | 152mm Rubber Brush with Soft Bristles              |
| 602159 | 38 / 32mm Adaptor                                  |
| 601144 | 65mm Soft Dusting Brush                            |
| 908229 | Roll of 10 x 120L Waste Bags (700 x 1100mm), Grey  |
| 601141 | Double Taper Hose / Tool Adaptor                   |
| 601917 | 280mm Stainless Steel Gulper / Scraper Tool (32mm) |
| 604116 | Primary PermaTex Filter for 356mm Machine          |

## KIT BB19 - 607349 / BB20 - 607350



| 602102 | 2.4m NuFlex Threaded Hose                          |
|--------|--|
| 604017 | 10 x (NVM-3BH) HepaFlo Dust Bags (BB19 HZD570)     |
| 604019 | 10 x (NVM-4BH) HepaFlo Dust Bags (BB20 HZD900)     |
| 602161 | 152mm Rubber Brush with Soft Bristles              |
| 604144 | 65mm Soft Dusting Brush                            |
| 908229 | Roll of 10 x 120L Waste Bags (700mm x 1100mm)      |
| 602160 | 305mm ABS Crevice Tool                             |
| 602923 | 280mm Stainless Steel Gulper / Scraper Tool (38mm) |
| 604116 | Primary PermaTex Filter for 356mm Machine          |
| 602159 | 38 / 32mm Adaptor                                  |


### KIT BS5 - 607335



602162 152mm Rubber Brush with Stiff Bristles

| KIT      | HAS - 607661                        |   |
|----------|-------------------------------------|---|
| 602929   |                                     |   |
| 602929   | 602111                              |   |
| 602919   | 602111                              |   |
|          | 602923                              |   |
| 602125   | 908229                              | À |
| 002123   | GIR V                               |   |
| <b>)</b> | 909185                              | 5 |
| 602111   | 2.6m Anti Static 38mm Hose Assembly |   |

| - 4      | 908229   |  |  |  |  |
|----------|--|--|--|--|--|
| 602125   | 604019   |  |  |  |  |
| <b>\</b> | 602112   |  |  |  |  |
| 602111   | 2.6m Anti Static 38mm Hose Assembly                |  |  |  |  |
| 602112   | ATX 400mm Widetrack Brush Tool                     |  |  |  |  |
| 602919   | Stainless Steel Tube Bend                          |  |  |  |  |
| 602929   | ATX Stainless Steel Extension Tube (x2)            |  |  |  |  |
| 909185   | Conductive Dusting Brush                           |  |  |  |  |
| 602125   | ATX 130mm Conductive Rubber Gulper Tool            |  |  |  |  |
| 604019   | 10 x (NVB-4BH) HepaFlo Dust Bags                   |  |  |  |  |
| 602923   | 280mm Stainless Steel Gulper / Scraper Tool (38mm) |  |  |  |  |
| 908229   | Roll of 10 x 120L Waste Bags (700 x 1100mm), Grey  |  |  |  |  |



# **FloorCare**

Providing innovative, reliable and effective floorcare solutions, even in the most demanding environments.

# FloorCare Contents

| Hurricane / NuSpeed Range | 57    |
|---------------------------|-------|
| TwinTec Mains Range       | 58-59 |
| NX300 FloorCare Range     | 60-63 |
| NX1K Lithium Range        | 64-69 |
| Brushes & Pad Drives      | 70-71 |
| FloorCare Accessories     | 72-73 |











# Lightweight

A light commercial or domestic machine. Suited to the non-professional cleaner. Perfect for a variety of flooring options, including vinyl, slate, limestone and quarry tiles.

### **Polishing**

Professional higher speed machines for spray cleaning and polishing a variety of floors including vinyl and wood.

# Scrubbing

Professional use machines for a range of deep-cleaning situations in leisure, industry and floor maintenance.

# **Burnishing**

Professional, ultra-high speed machines for burnishing vinyl floors treated with metallised emulsion polishes - for the wet-look shine with specialised UH speed floor pads.

# **General Purpose**

Medium speed machines for a variety of uses and floor types. Lighter scrubbing and polishing on vinyl, stone and wood.

### **Heavy-Duty Scrubbing**

Specialist scrubbing machine with extra weight for heavy-duty situations.

Please note information provided is for guidance only, please consult manufacturers guidance before use \*Refer to manufacturer/supplier's data sheet for advice as not all wood/laminates are waterproof.

# **HURRICANE RANGE**



- » Optional 10kg weight
- » 460x560x1250mm (WxLxH)

| 450MN<br>Deck Size                                     | -                  | <b>OW</b> otor     | 3    | 2.0KG<br>Weight    |  |
|--|--------------------|--------------------|------|--------------------|--|
| Power <b>230V / AC 50/60Hz</b> - 1515G / 1523G / 1530G |                    |                    |      |                    |  |
| Power <b>230V / AC 50Hz</b> - 1545G                    |                    |                    |      |                    |  |
| Vacuum Dry - Optional Cleaning Range 32.0m             |                    |                    |      |                    |  |
| Brush Siz  | e <b>450mm</b>     | Pad                | Size | 400mm              |  |
| Brush Speed RPM  |                    |                    |      |                    |  |
| 1515G - <b>150</b>                                     | 1523G - <b>230</b> | 1530G - <b>3</b> 0 | 00   | 1545G - <b>450</b> |  |



- » Fully adjustable handle » Optional solution tank
- » Dual speed for scrubbing (150rpm) & polishing (300rpm)
- » Optional 10kg weight (150rpm)

» 460x560x1250mm (WxLxH)

| 450MM<br>Deck Size | 1000/1250W<br>Motor |             | 32.0KG<br>Weight   |
|--------------------|---------------------|-------------|--------------------|
|                    | Power <b>230V</b> / | AC 50/60Hz  |                    |
| Tank Capac         | ity <b>10.0L</b>    | Cleaning F  | Range <b>32.0m</b> |
| Brush Size         | 450mm               | Pad Siz     | ze <b>400mm</b>    |
| Vacuum Dry -       | Optional            | Brush Speed | 150 / 300rpm       |



- » Fully adjustable handle
- » High-speed burnisher » Simple load adjustment
- » 560x740x1260mm (WxLxH)
- 35.0KG 500MM 1500W Deck Size Weight Power 230V / AC 50Hz Cleaning Range 32.0m Pad Size 500mm Vacuum Dry - Optional Brush Speed 1500rpm

# **NUSPEED RANGE**



- » Optional solution tank
- » Folds flat for easy storage
- » Full range of brushes and pads » 330x540x1145mm (WxLxH)
- 330MM 18.0KG 400W Deck Size Weight Cleaning Range 32.0m Power 230V / AC 50Hz Tank Capacity 4.0L Brush Speed 200rpm Brush Size 330mm



# **TWINTEC MAINS RANGE**

The TwinTec 1840 mains cable machine has been designed to address the question of size, whilst being exceptionally compact, with a performance equal to bigger machines.



- » Performance of a bigger machine» Clean, dry and safe floors
- » Easy brush or pad change
- User-friendly controls
- Fully adjustable handle
- 520x880x1132mm (WxLxH) 400M 20 EKG

| 400               | JW                       | 38.5KG                                   |  |
|-------------------|--------------------------|--|--|
| Brush Motor       |                          | Weight                                   |  |
| Power <b>230V</b> | / / AC 50Hz              | :  |  |
| Deck Size 400mm   |                          | Cleaning Range 42.0m                     |  |
| Brush Size 400mm  |                          | Size <b>360mm</b>                        |  |
| Vac Motor 300W    |                          | Brush Speed 150rpm                       |  |
|                   | Brush Power 230V Dmm Dmm | Power 230V / AC 50Hz Omm Cleanir Omm Pad |  |

**Sustainable Cleaning** 

Our Centrifugal Water System ensures precise distribution across the brush or pad, delivering on cleaning performance whilst saving water.



The TwinTec Mains Cable range has masterful performance moving under its own brush power with amazing speed and purpose. Available with 450mm or 550mm scrub width.











# TT4055G

TT4045G

» Simple controls

» Fully adjustable handle

- » Simple controls
- » Fully adjustable handle
- Tilting deck for easy brush / pad change

| » 560x935x1100n             | nm (WxLxl   | H)      |                       |  |  |
|-----------------------------|-------------|---------|-----------------------|--|--|
| 40L   1500W   68.0K         |             |         |                       |  |  |
| Tank Capacity               | Brush Motor |         | Weight                |  |  |
| Power <b>230V / AC 50Hz</b> |             |         |                       |  |  |
| Deck Size <b>550</b>        | )mm         | Cleanir | ng Range <b>42.0m</b> |  |  |
| Brush Size <b>550mm</b>     |             | Pad     | Size 500mm            |  |  |
| Vac Motor 1200W             |             | Brush   | Speed 150rpm          |  |  |
|                             |             |         |                       |  |  |





Visit: numatic.com/apps/nu-assist


Handle Folds Flat for Easy Storage






How it Works

- 1. Scan the QR Code on the Machine
- 2. Open in App or Mobile Browser
- 3. View Quick Start Videos
- 4. Carry Out Maintenance Checklist
- 5. Complete Operator Training





2 Tilting Deck for Easy Brush Change and Storage

3 Easy to Use Controls





# Power the Entire Fleet with NX300 **Pro Cordless** Network

The NX300 Pro Cordless Network provides the cleaning through hot-swapping batteries across a versatile and expanding range.

- Enhanced Energy Storage
- One Fits All Productivity
- Cost Effective
- » 1-Hour Fast Charge
- NX300 Pro Cordless Network

# NX300 FLOORCARE RANGE



# 244NX



- » 80mins runtime
- » 1 hour fast charge » One-pass performance » Centrifugal water delivery

- » Part of NX300 Pro Cordless Network
- » 520x450x1200mm (WxLxH)

| " 320X430X120011111 (VVXLXI1) |                                   |   |         |                      |  |  |  |
|-------------------------------|-----------------------------------|---|---------|----------------------|--|--|--|
| 2.2L                          | 3L                                | 1 | 00W     | 140RPM               |  |  |  |
| Tank                          | Recovery                          |   | Vac     | Brush                |  |  |  |
| Capacity                      | Tank                              |   | Motor   | Speed                |  |  |  |
| Power <b>36V</b>              |                                   |   | Brush   | Motor 2x200W         |  |  |  |
| F                             | Recharge Time 1hr 80% / 2hrs 100% |   |         |                      |  |  |  |
| Deck Size <b>440mm</b>        |                                   |   | Runtime | e Up to 80mins       |  |  |  |
| Brush/Pad Size 2x220mm        |                                   |   | Net V   | Veight <b>21.3kg</b> |  |  |  |
| '                             |                                   |   |         |                      |  |  |  |





# TTB1840NX

- » 60mins runtime
- » 1 hour fast charge
- » Clean, dry, safe and streak-free floors Centrifugal water delivery
- » Part of the NX300 Pro Cordless Network
- » Folds flat for easy storage
  » 520x850x1132mm (Wxl xH)

| CEONOCONT TOETHIN (TIMENT)        |                      |       |              |                          |  |  |
|-----------------------------------|----------------------|-------|--------------|--------------------------|--|--|
| <b>18L</b> Tank Capacity          | 100W<br>Vac<br>Motor |       |              | 150RPM<br>Brush<br>Speed |  |  |
| Power <b>36V</b>                  |                      |       | Brush        | Motor 175W               |  |  |
| Recharge Time 1hr 80% / 2hrs 100% |                      |       |              |                          |  |  |
| Brush Size 400mm                  |                      |       | Runtime      | Up to 60mins             |  |  |
| Pad Size <b>360mm</b>             |                      | Net W | eight 34.0kg |                          |  |  |





- 1 Battery Replacement on the TTB1840NX 2 Easy Battery Changing on the TTB3045NX





# TTB3045NX (IIII)

- » 70mins runtime
- 1-hour fast charge
- Compact machine, big results Hot-swapping between batteries
- » Part of the NX300 Pro Cordless Network » 470x890x1100mm (WxLxH)

| <b>30L</b><br>Tank<br>Capacity | <b>210W</b> Vac Motor | 45    | <b>50MM</b><br>Deck<br>Size | 100RPM<br>Brush<br>Speed |  |
|--------------------------------|-----------------------|-------|-----------------------------|--------------------------|--|
| Power 2x36V                    |                       |       | Brush Motor 300W            |                          |  |
| F                              | Recharge Time         | e 1hr | 80% / 2hrs                  | 100%                     |  |
| Brush Size 450mm               |                       |       | Runtime                     | Up to 70mins             |  |
| Pad Size 400mm                 |                       | Net W | /eight <b>79.0kg</b>        |                          |  |



# **70% LABOUR SAVING 80% LOWER WATER USE**

The 244NX is lightweight and easy to use, leaving floors clean, dry, safe and streak-free, whilst reducing labour costs by 70% and water use by 80%.\*

- » Up to 80 mins Runtime
- » 1 Hour Fast Charge
- » NX300 36V Lithium Power
- » "One Fits All" Battery





Watch the full video at: numatic.com/244NX

e saving of 70% vs mopping / wage £11 per hour, qm 7 days per week. Water use by 80% based on cing 16L mopping system, cleaning 7 days per week



Easy to Use Simple to set up and easy to use



**Adjustable Water Flow** Easily adjustable water flow to suit cleaning needs



Simple Fill Removable clean tank with "No-Spill" Ca



**Foot-operated Brush Deck** Simple and easy to engage brush deck




🛱 charity: water



**Around the World** 

See pages 8-9 for more information or visit: numatic.com/charitywater



# **4x Longer Lasting** than Lead Batteries

### **Runs Longer**

Configurable performance that suits you, offering increased runtime of up to 44%\*. Ensuring you can keep cleaning when it is most convenient for you.

### More Sustainable

NX1K lasts longer than lead alternatives, significantly reducing material use and disposal, providing a much more sustainable solution.

# **Fast & Flexible Charging**

Unlike Lead, NX1K Fast Charge Technology allows completely flexible charging, allowing you to use your machine whenever you need to, no matter how much it's charged.

NX1K Fast Charge Technology drives productivity, providing you an increase in machine availability in comparison to Lead.

### **Extended Long Life Power**

Delivering over 4000 charge cycles, NX1K will last as long as your machine. Utilising the latest Lithium Phosphate Technology, NX1K is one of the safest battery platforms on the market. A 3-year battery warranty provides complete peace of mind for you and your cleaning fleet.†

### Mu-Track Insights<sup>‡</sup>

Built-in with our intelligent fleet management telemetry system, Nu-Track provides in-depth insights, lowering costs and increasing productivity across your fleet.



- ny comparisons used are based on typical usage scenarios, results may diffe
- †3-Year Warranty subject to terms and market availability, please contact Numatic for more information.
- ‡ Nu-Track subject to market / model availability. Launching Spring 2023.



# **NEW NX1K LITHIUM RANGE**





- » Compact design
- » Powerful cleaning results
- » Fast & flexible charging
- » Configurable battery performance that suits you
- » On-board charging» 470x890x1100mm (WxLxH)

|                       | ,         | ,                       |                       |
|-----------------------|-----------|-------------------------|-----------------------|
| 40L                   | 400       | WC                      | 100RPM                |
| Tank Capacity         | Vac Motor |                         | Brush Speed           |
| Brush Motor 30        | ow        | Dec                     | ck Size <b>450mm</b>  |
| Pad Size <b>400mm</b> |           | Brush Size <b>450mm</b> |                       |
| 1 x Battery           |           |                         | 2 x Battery           |
| Runtime 1hr 40mins    |           | Runt                    | ime <b>3hr 10mins</b> |
| Recharge Time 2hr     | 30mins    | Recharge Time 5hrs      |                       |
| Net Weight 119.       | 3kg       | Net                     | Weight 136.6kg        |
|                       |           |                         |                       |



- » Compact design
- » Powerful cleaning results
- » Fast & flexible charging
- » Configurable battery performance that suits you
- » On-board charging» 560x1115x1160mm (WxLxH)

| 40L                   | 400W      |                         | 100RPM               |
|-----------------------|-----------|-------------------------|----------------------|
| Tank Capacity         | Vac Motor |                         | Brush Speed          |
| Brush Motor 30        | ow        | Dec                     | ck Size <b>550mm</b> |
| Pad Size <b>500mm</b> |           | Brush Size <b>550mm</b> |                      |
| 1 x Battery           |           |                         | 2 x Battery          |
| Runtime 1hr 40r       | nins      | Runt                    | ime 3hr 10mins       |
| Recharge Time 2hr     | 30mins    | Recharge Time 5hrs      |                      |
| Net Weight 124.       | 3kg       | Net \                   | Weight 135.6kg       |



- » Compact design » Powerful cleaning results
- » Fast & flexible charging
   » Configurable battery performance that suits you
- » On-board charging
- » Traction drive makes cleaning inclines safer and easier
- » 560x1115x1160mm (WxLxH)

| 40L                      | 400W                |                         | 100RPM              |  |
|--------------------------|---------------------|-------------------------|---------------------|--|
| Tank Capacity            | Vac Motor           |                         | Brush Speed         |  |
| Brush Motor 30           | 0W                  | Dec                     | k Size <b>550mm</b> |  |
| Pad Size <b>500mm</b>    |                     | Brush Size <b>550mm</b> |                     |  |
| Traction Drive 25        | Traction Drive 250W |                         | Drive Speed 0-4km/h |  |
| 1 x Battery              |                     |                         | 2 x Battery         |  |
| Runtime 1hr 40mins       |                     | Runtime 3hr 10mins      |                     |  |
| Recharge Time 2hr 30mins |                     | Recharge Time 5hrs      |                     |  |
| Net Weight 134 7kg       |                     | Net                     | Weight 146 6kg      |  |

NX1K battery platform powers commercial grade TwinFlo vacuum and brush motor for unrivaled cleaning performance, even in the most demanding environments.







- » Big capacity, compact design
- » Clean, dry, safe floors in minutes
- » Fast and flexible charging
- » Stay cleaning for longer with over 3 hours runtime » On-boarding charding

| » 560x1425x1120n     | 0 0    | ×H)                     |             |  |  |  |  |  |
|----------------------|--------|-------------------------|-------------|--|--|--|--|--|
| 60L                  | 40     | <b>W</b> 0              | 100RPM      |  |  |  |  |  |
| Tank Capacity        | Vac I  | Motor                   | Brush Speed |  |  |  |  |  |
| Brush Motor 30       | ow     | Deck Size <b>550mm</b>  |             |  |  |  |  |  |
| Pad Size <b>500m</b> | nm     | Brush Size <b>550mm</b> |             |  |  |  |  |  |
| 1 x Battery          |        | 2 x Battery             |             |  |  |  |  |  |
| Runtime 1hr 40n      | nins   | Runtime 3hr 10mins      |             |  |  |  |  |  |
| Recharge Time 2hr    | 30mins | Recharge Time 5hrs      |             |  |  |  |  |  |
| Net Weight 115.      | 6kg    | Net Weight 127.0kg      |             |  |  |  |  |  |
|                      |        |                         |             |  |  |  |  |  |



- » Clean, dry, safe floors in minutes
- » Fast and flexible charging
  » Stay cleaning for longer with over 3 hours runtime
- » On-boarding charging

  » Traction drive makes cleaning inclines safer and easier

- » 560x1425x1120mm (WxLxH)
- 60L 400W 100RPM Tank Capacity Vac Motor Brush Speed Brush Motor 300W Deck Size 550mm Pad Size 500mm Brush Size 550mm Traction Drive 250W Drive Speed 0-4km/h 1 x Battery 2 x Battery Runtime 1hr 35mins Runtime 3hr 5mins Recharge Time 2hr 30mins Recharge Time 5hrs Net Weight 122.6kg Net Weight 134.0kg



- » Dual brush design

- » Powerful cleaning results
  » Fast & flexible charging
  » Configurable battery performance that suits you
- » On-board charging

  » 762x1513x1144mm(Wxl xH)

| " 102X1313X114411111(VVXLXII) |       |                           |             |  |  |  |  |  |  |  |  |
|-------------------------------|-------|---------------------------|-------------|--|--|--|--|--|--|--|--|
| 85L                           | 40    | <b>W</b> 0                | 150RPM      |  |  |  |  |  |  |  |  |
| Tank Capacity                 | Vac I | Motor                     | Brush Speed |  |  |  |  |  |  |  |  |
| Brush Motor 60                | ow    | Deck Size 720mm           |             |  |  |  |  |  |  |  |  |
| Pad Size 2x360                | mm    | Brush Size 2x370mm        |             |  |  |  |  |  |  |  |  |
| Traction Drive 25             | 50W   | Drive Speed 0-4km/h       |             |  |  |  |  |  |  |  |  |
| 2 x Battery                   |       | 3 x Battery               |             |  |  |  |  |  |  |  |  |
| Runtime 3hr 10r               | nins  | Runtime 5hr 40mins        |             |  |  |  |  |  |  |  |  |
| Recharge Time \$              | 5hrs  | Recharge Time 7hrs 35mins |             |  |  |  |  |  |  |  |  |
| Net Weight 178.               | 0kg   | Net Weight 188.7kg        |             |  |  |  |  |  |  |  |  |





- » Compact design

- Powerful cleaning results
   Fast and flexible charging
   Stay cleaning for longer with over 3 hours runtime
- » On-board charging
  » 805x1460x1160mm (WxLxH)

| " 000X1400X1100I     | (****  | )                       |             |  |  |  |  |  |
|----------------------|--------|-------------------------|-------------|--|--|--|--|--|
| 80L                  | 400    | OW                      | 150RPM      |  |  |  |  |  |
| Tank Capacity        | Vac N  | Motor                   | Brush Speed |  |  |  |  |  |
| Brush Motor 60       | ow     | Deck Size <b>550mm</b>  |             |  |  |  |  |  |
| Pad Size <b>508m</b> | nm     | Brush Size <b>550mm</b> |             |  |  |  |  |  |
| Traction Drive 25    | 50W    | Drive Speed 0-4km/h     |             |  |  |  |  |  |
| 1 x Battery          |        | 2 x Battery             |             |  |  |  |  |  |
| Runtime 1hr 35r      | nins   | Runtime 3hr 5mins       |             |  |  |  |  |  |
| Recharge Time 2hr    | 30mins | Recharge Time 5hrs      |             |  |  |  |  |  |
| Net Weight 142.      | 3kg    | Net Weight 153.7kg      |             |  |  |  |  |  |

### CRL8072



- » Compact design

- Best in class scrub width
   Fast and flexible charging
   Stay cleaning for longer with over 3 hours runtime
- » On-board charging
- » 948x1460x1160mm (WxLxH)

| 80L               | 40     | <b>W</b> 0             | 150RPM      |  |  |  |  |  |
|-------------------|--------|------------------------|-------------|--|--|--|--|--|
| Tank Capacity     | Vac I  | Motor                  | Brush Speed |  |  |  |  |  |
| Brush Motor 60    | ow     | Deck Size <b>720mm</b> |             |  |  |  |  |  |
| Pad Size 2x360    | mm     | Brush Size 2x370mm     |             |  |  |  |  |  |
| Traction Drive 25 | 50W    | Drive Speed 0-4km/h    |             |  |  |  |  |  |
| 1 x Battery       |        | 2 x Battery            |             |  |  |  |  |  |
| Runtime 1hr 35r   | nins   | Runtime 3hr 5mins      |             |  |  |  |  |  |
| Recharge Time 2hr | 30mins | Recharge Time 5hrs     |             |  |  |  |  |  |
| Net Weight 162.   | 3kg    | Net Weight 173.7kg     |             |  |  |  |  |  |



2 TBL4045

3 TBL6055T



# **Brushes and Pad Drives**

Careful selection of quality brushes and pads will ensure your FloorCare machine always operates at its best.






244NX Nyloscrub Brush Suitable for when lighter scrubbing is required.




Nvloscrub Brush Suitable for when lighter scrubbing is required.




Union Mix Polish Brush Ideal for polishing, uses a well-proven mix of high-quality bristles for optimum results.



Long-life Scrubbing Brush Can provide extended cleaning life in comparison to standard scrubbing brushes. Suitable for general scrubbing.



Long-life Light Scrubbing Brush Can provide extended cleaning life in comparison to alternative light scrubbing brushes. Suitable for light scrubbing and polishing.



Floortec Heavy-Duty Scrubbing / Stripping Brush Can provide extended cleaning life in comparison to alternative heavy-duty scrubbing brushes. Suitable for heavy-duty scrubbing.



244NX PadLoc Drive Board A simple, effective and easy to use system. Pads are located securely and perfectly centred every time. Supplied as pack of 2.



PadLoc Drive Board A simple, effective and easy to use system. Pads are located securely and perfectly centred every time. Suitable for general use.



NuLoc2 Drive Board Alternative to PadLoc that may be required when using a rotary machine in certain circumstances. Suitable for general use.



**NLL Drive Board** Alternative to PadLoc that may be required when using a rotary machine in certain circumstances. Suitable for general use.



Flexi NuLoc2 Drive Board Flexi specification provides optimum stability needed for 300rpm speed machines NuLoc2 offers an alternative to PadLoc.



Porcupine Pad Holder Can be used as an alternative pad drive board when required.



244NX NuPad Red General use floor cleaning pad for hard floors. Removes light dirt and souff marks Supplied as pack of 10.



244NX NuPad White Delicate surface cleaning pad for hard floors. Supplied as pack of 10.



244NX NuPad Green Heavy-duty cleaning pad for hard floors. Removes dirt and scuff marks. Supplied as pack of 10.



High-efficiency floor cleaning pads. Suitable for use on all hard floors. More durable and efficient than a conventional melamine pad. Environmentally friendly. Supplied as pack of 2.



244NX Diamond Twister Pad Specially developed with billions of microscopic diamonds. Suitable for use on hard floors. Supplied as pack of 2.



NuShine Topline Speed Burnishing Pad Burnishing pad for use with NuShine HNS1550 (500mm). Supplied as pack of 5.



Heavy-duty cleaning pad for hard floors. Suitable for general daily cleaning jobs. Removes dirt and scuff marks. Supplied as pack of 5.



Suitable for light and daily cleaning jobs. Removes light dirt and scuff marks. Supplied as pack of 5.

# **Specialised Brushes**Rotary Machines Only.



Wire Scarifying Brush Suitable for scarifying a range of floor surfaces, typically used in preparation of concrete flooring.



Sandotex Disc Drive Highly abrasive disc. for use on rotary machine.



Carbotex Grinding Disc Carbon based discs provide high abrasive properties with long-life.



Heavy-Duty Scarifying Disc - Spirotex 6-Head Heavy-duty scarifying board fitted with 6 wire Spirotex heads.

|             |           | Description  | Brush / Pad Size mm | Part Number      | Rotary Floor Cleaners |         |         |         |         | TwinTec |       |                     |                                  |                     |           |         | Ride-on |         |  |
|-------------|-----------|--|---------------------|------------------|-----------------------|---------|---------|---------|---------|---------|-------|---------------------|----------------------------------|---------------------|-----------|---------|---------|---------|--|
| Туре        | Image No. |  |                     |                  | HFM1515 / HFM1523     | HFM1530 | HFM1545 | HFT1530 | HNS1550 | NLL332  | 244NX | TT1840G / TTB1840NX | TTB3045NX / TT4045G /<br>TBL4045 | TT4055G / TBL4055/T | TBL6055/T | TBL8572 | CRL8055 | CRL8072 |  |
|             |           |  |                     |                  |                       |         |         | ı       |         |         |       |                     |                                  |                     |           |         |         |         |  |
|             |           |  | 330                 | 606033           |                       |         |         |         |         | •       |       |                     |                                  |                     |           | 0       |         | 0       |  |
|             | 1         | Polyscrub Brush  | 370<br>400          | 903449 606105    |                       |         |         |         |         |         |       | •                   |                                  |                     |           | •x2     |         | •x2     |  |
|             | l '       | Polyscius Biusii   | 450                 | 606203           | •                     |         |         | •       |         |         |       |                     | •                                |                     |           |         |         |         |  |
|             |           |  | 550                 | 606028           |                       |         |         |         |         |         |       |                     |                                  | •                   | •         |         | •       |         |  |
|             | 2         | 244NX Nyloscrub Brush Pack of 2                            | 220                 | 911931           |                       |         |         |         |         |         | •x2   |                     |                                  |                     |           |         |         |         |  |
|             |           |  | 330                 | 606556           |                       |         |         |         |         | •       |       |                     |                                  |                     |           |         |         |         |  |
|             | 3         | Nyloscrub Brush  | 370                 | 903994           |                       |         |         |         |         |         |       |                     |                                  |                     |           | •       |         | •       |  |
|             | _         | ,  | 450                 | 606204           | •                     |         |         | •       |         |         |       |                     | •                                |                     |           |         |         |         |  |
| Sec         |           |  | 550                 | 606550           |                       |         |         |         |         |         |       |                     |                                  | •                   | •         |         | •       |         |  |
| Brushes     | 4         | Linian Mirr Dalinh Drugh                                   | 330                 | 606104           |                       |         |         |         |         | •       |       | _                   |                                  |                     |           |         |         |         |  |
|             | 4         | Union Mix Polish Brush                                     | 400<br>450          | 606102<br>606202 | •                     |         | •       | •       |         |         |       | •                   |                                  |                     |           |         |         |         |  |
|             | 5         | 244NX Long-life Scrubbing Brush Pack of 2                  | 220                 | 913800           |                       |         |         |         |         |         | •     |                     |                                  |                     |           |         |         |         |  |
|             | H         |  | 370                 | 606302           |                       |         |         |         |         |         |       | •                   |                                  |                     |           | •       |         | •       |  |
|             | 6         | Long-life Scrubbing Brush                                  | 450                 | 606306           | •                     |         |         | •       |         |         |       |                     | •                                |                     |           |         |         |         |  |
|             |           |  | 550                 | 606551           |                       |         |         |         |         |         |       |                     |                                  | •                   | •         |         | •       |         |  |
|             |           | 7 Long-life Light Scrubbing Brush (Red)                    | 370                 | 606303           |                       |         |         |         |         |         |       | •                   |                                  |                     |           | •       |         | •       |  |
|             | 7         |  | 450                 | 606307           | •                     |         |         | •       |         |         |       |                     | •                                |                     |           |         |         |         |  |
|             |           |  | 550                 | 901050           |                       |         |         |         |         |         |       |                     |                                  | •                   | •         |         | •       |         |  |
|             | 8         | Floortec Heavy-Duty Scrubbing / Stripping Brush (Black)    | 450                 | 606305           | •                     |         |         | •       |         |         |       |                     |                                  |                     |           |         |         |         |  |
|             |           |  |                     |                  |                       |         | 1       | 1       |         |         |       |                     |                                  |                     | 1         |         |         |         |  |
| ပ္          | 9         | 244NX PadLoc Drive Board (Black) Pack of 2                 | 225                 | 911844           |                       |         |         |         |         |         | •     | _                   |                                  |                     |           | _       |         |         |  |
| PadLoc      | 10        | Padl on Drive Poord (Plank)                                | 360<br>400          | 606400<br>606401 | •                     |         |         | •       |         |         |       | •                   | •                                |                     |           | •       |         | •       |  |
| a.          | 10        | PadLoc Drive Board (Black)                                 | 500                 | 606403           | _                     |         |         | _       |         |         |       |                     |                                  | •                   | •         |         | •       |         |  |
|             |           |  | 000                 | 000 100          |                       |         |         |         |         |         |       |                     |                                  |                     |           |         |         |         |  |
|             |           |  | 360                 | 900524           |                       |         |         |         |         |         |       | •                   |                                  |                     |           | •       |         | •       |  |
|             | 11        | NuLoc2 Drive Board   | 400                 | 900525           | •                     |         |         | •       |         |         |       |                     | •                                |                     |           |         |         |         |  |
| 200         |           |  | 500                 | 900526           |                       |         |         |         |         |         |       |                     |                                  | •                   | •         |         | •       |         |  |
| NuLoc2      | 12        | NLL Drive Board  | 330                 | 606111           |                       |         |         |         |         | •       |       |                     |                                  |                     |           |         |         |         |  |
|             | N/A       | High Speed Spider NuLoc2 Drive Board (450rpm) (HFM1545)    | 400                 | 606078           |                       |         | •       |         |         |         |       |                     |                                  |                     |           |         |         |         |  |
|             | 13        | Flexi NuLoc2 Drive Board (300rpm) (HFM)                    | 400                 | 900528           |                       | •       |         | •       |         |         |       |                     |                                  |                     |           |         |         |         |  |
|             |           |  |                     |                  |                       |         |         |         |         |         |       |                     |                                  |                     |           |         |         |         |  |
| Other       | 14        | Porcupine Pad Holder                                       | 400                 | 606700           | •                     |         |         | •       |         |         |       |                     |                                  |                     |           |         |         |         |  |
| 0           | 20        | NuShine Topline Speed Burnish Pad Pack of 5                | 500                 | 901622           |                       |         |         |         | •       |         |       |                     |                                  |                     |           |         |         |         |  |
|             | 45        | OMANY NuDad Dad Dad at 10                                  | 005                 | 010050           |                       |         |         |         |         |         | -     |                     |                                  |                     |           |         |         |         |  |
|             | 15<br>16  | 244NX NuPad Red Pack of 10<br>244NX NuPad White Pack of 10 | 225                 | 912353<br>912354 |                       |         |         |         |         |         | •     |                     |                                  |                     |           |         |         |         |  |
|             | 17        | 244NX NuPad Writte Fack of 10 244NX NuPad Green Pack of 10 | 225                 | 912354           |                       |         |         |         |         |         | •     |                     |                                  |                     |           |         |         |         |  |
| NuPad       | 18        | 244NX PU-Pad Pack of 2                                     | 225                 | 912356           |                       |         |         |         |         |         | •     |                     |                                  |                     |           |         |         |         |  |
| ž           | 19        | 244NX Diamond Twister Pad Pack of 2                        | 225                 | 912355           |                       |         |         |         |         |         | •     |                     |                                  |                     |           |         |         |         |  |
|             | 21        | NuPad Green Pack of 5                                      | 355                 | 913228           |                       |         |         |         |         |         |       | •                   |                                  |                     |           |         |         |         |  |
|             | 22        | NuPad Red Pack of 5  | 355                 | 913226           |                       |         |         |         |         |         |       | •                   |                                  |                     |           |         |         |         |  |
|             |           |  |                     |                  |                       |         |         |         |         |         |       |                     |                                  |                     |           |         |         |         |  |
| p           | 23        | Wire Scarifying Brush                                      | 400                 | 606207           | •                     |         |         |         |         |         |       |                     |                                  |                     |           |         |         |         |  |
| ialise      | 24        | Sandotex Disc Drive  | 400                 | 606209           | •                     |         |         |         |         |         |       |                     |                                  |                     |           |         |         |         |  |
| Specialised | 25        | Carbotex Grinding Disc                                     | 400                 | 606208           | •                     |         |         |         |         |         |       |                     |                                  |                     |           |         |         |         |  |
|             | 26        | Heavy-Duty Scarifying Disc Spirotex 6-Head                 | 400                 | 606211           | •                     |         |         |         |         |         |       |                     |                                  |                     |           |         |         |         |  |

Guidance only - Each application should be assessed before selection of brush / pad. Specification subject to change without prior notice.



## Using genuine Numatic accessories will ensure you achieve the best results from your FloorCare machine.

#### **Hurricane / NuSpeed Accessories & TwinTec Blades**







**HFM / HNS** Optional Spraytec Kit




HFM / HFT 10kg Weight

Replacement Blade Set (2-Pieces)

PN: 913810




Dustrol Kit (Grey) PN: 906414 **HFM** Dustrol Control Brush Ring



TT1840G / TTB1840NX PN: 903531



HNS / HFM Micro HEPA Filter Dustrol Kit (Grey)



TT4045G / TBL4045 / CRL8055 / CRL8072 (805mm) PN: 900518 TT4055G / TBL4055/T / TBL6055/T / TBL8572 (944mm) PN: 900519 (1053mm) PN: 900520 Replacement Polyurethane Blade Set

#### **TwinTec Tools & Accessories**



Aluminium Floor Tool Red polyurethane blades included **244NX** PN: 913830



Plastic Floor Tool Polyurethane TT1840G / TTB1840NX Blade



CRL8055 / CRL8072 TT4055G / TBL4055/T / TBL6055/T / TBL8572 (750mm) PN: 904699 (850mm) PN: 904209



All TT / TTB / TBL Machines Wander Floor Kit (32mm) (Except TT1840G / TTB1840NX) PN: 607250



All TT / TTB / TBL Machines Wander Floor Kit (38mm), (Except TT1840G / TTB1840NX) PN: 606193



**CRL** Machines Wander Floor Kit (38mm), C/W Fitting Kit PN: 903183



Emptying Hose Extension Kit PN: 609100



244NX Transport Wheel Set PN: 914088

NX300 Battery



Aluminium Floor Tool Wide Angle Adjustable Castor PN: 908027 (Black), 908028 (Red)



Cable Roll Extension for Mains Machines 20m Cable Roll Extension UK PN: 612002



NX300 Battery **SWISS** PN: 912364 AUS/NZ PN: 912360 USA S.AFRICA PN: 912362 PN: 912363

CRL Caddy Kit (Red)

CRL PN: 902505 (shown above)



NX300 Charging Dock

with Mains Cable PN: 915749 **EURO** SWISS PN: 915750 AUS/NZ PN: 915751 USA

NX300 Dual

**NX300 Dual Charging Dock** 

CRL Spray Mop Mounting Kit PN: 903182



# VersaCare

Raising cleaning standards and productivity with versatility, innovation and quality.

#### **VersaCare Contents**

| Man Kita                      | 70 77   |
|-------------------------------|---------|
| Mop Kits                      | 76-77   |
| MULTI-Matic Range             | 78-81   |
| ECO-Matic Range               | 82-85   |
| SERVO-Matic Range             | 86-89   |
| PRO-Matic Range               | 90-94   |
| SRK Kits                      | 95      |
| Carousel Range                | 97      |
| NuBag Range                   | 98-99   |
| NuKeeper Range                | 100-105 |
| NuKeeper Top Tray & Hood Kits | 106     |
| NuKeeper End Frame Kits       | 107     |









## **MOP KITS**

#### **PCM403 POLYSTATIC 3-PIECE MOP SET**



- » C/W 50 x PolyStatic Mop Cloths Disposable PolyStatic Mop "Gripper" Pad
- » Velcro Fixing
- » Pad Size 400mm

#### **PSM400G POLYSTATIC SPRAYMOP SET**



- » C/W 50 x PolyStatic Mop Cloths
- » C/W Disposable PolyStatic Mop "Gripper" Pad
- » C/W 400ml Bottle
- » Velcro Fixing» Pad Size 400mm

#### **DTK3 HANG-ON MOP SET**



- » C/W 1 x BluTec Microfibre Mop» Suitable for Vertical Press
- Hang-on Fixing » Pad Size 400mn

#### **DTK8G SPRAYMOP MASTER SET**



» C/W 1 x BluTec Microfibre Velcro Mop

**DTK12G WING MOP** 

**PUMP ACTION SET** 

- » C/W 400ml Bottle
- » Velcro Fixing» Pad Size 400mm



- » C/W 1 x BluTec Microfibre Pocket Mop » Suitable for Vertical Press, Wide Press
- and MopMatic
- Pocket Fixing
- » Pad Size 400mm

#### **PCM401 POLYSTATIC** 1-PIECE MOP SET



- » C/W 50 x PolyStatic Mop Cloths Disposable PolyStatic Mop "Gripper" Pad
- Velcro FixingPad Size 400mm

#### **DTK1 KENTUCKY MOP SET**



- » C/W 1 x Kentucky 400g Mop



- » C/W 1 x BluTec Microfibre Mop » Suitable for Wide Press and MopMatic
- Velcro FixingPad Size 400mm



» C/W 1 x Bactiguard Mop

#### **DTK13G WING MOP PUMP ACTION SET**

- » C/W 1 x BluTec Microfibre Hang-on Mop
- » Suitable for Vertical Press
- » Hang-on Fixing » Pad Size 400mm

#### PCT400 POLYSTATIC **TELESCOPIC MOP SET**



- » C/W 50 x PolyStatic Mop Cloths Disposable PolyStatic Mop "Gripper" Pad
- » Velcro Fixing» Pad Size 400mm

#### **DTK2 POCKET MOP SET**



- » C/W 1 x BluTec Microfibre Pocket Mop » Suitable for Vertical Press, Wide Press
- and MopMatic
- » Pocket Fixing» Pad Size 400mm

#### **DTK6G SPRAYMOP MASTER SET**



- » C/W 1 x BluTec Microfibre Pocket Mop » C/W 400ml Bottle
- Pocket FixingPad Size 400mm

#### **DTK10 MULTIMOP**



- » C/W 1 x Sponge» Folding Press
- » Sponge Size 350mm

#### **POLYSTATIC GRIPPER PAD**



#### **POLYSTATIC MOP DUSTERS**



- » Fits on PCM403, PSM400G
- » Pack of 50 x PolyStatic Mop Cloths (White / Red / Blue / Green / Yellow) Carton of 400 x PolyStatic Mop Cloths, (8 x 50)
- (White / Red / Blue / Green / Yellow) » C/W 2 x "Gripper" Pads

## **MOP KITS**

The MidMop is always on-hand and easily stored, with a compact design providing a go-anywhere twin-bucket mopping system.



MINIMUM 50% RECYCLED CONTENT POST-CONSUMER



#### MM30G



- » C/W 1 x Sponge» Velcro Fixing» 30L Capacity Bucket
- » Folding Press» Castors: 4 x 50mm
- » Pad Size 350mm
- » 340x475x320mm (WxLxH)

#### HB1812R



- » Vertical Press available with / without Foam Insert» 18L Clean Capacity / 12L Dirty Capacity

- » Optional Mop Kits: DTK1 / DTK2 / DTK3 / DTK12G / DTK13G » Castors: 4 x 75mm
- » 410x560x800mm (WxLxH)

- » Vertical Press available with / without Foam Insert» 16L Clean Capacity / 16L Dirty Capacity

**MMB1616** 

- » Optional Mop Kits: DTK1 / DTK2 / DTK3 / DTK12G / DTK13G
- » Optional Handle » Castors: 4 x 75mm
- » 510x680x1020mm (WxLxH)





## **MULTI-MATIC TROLLEY RANGE**

# **COMPACT & VERSATILE MOPPING TROLLEY**





Designed for enhanced usability, productivity and simplicity, MULTI-Matic offers a choice of 9 models to suit any cleaning task or environment.





| Model              | ммо            | MM1                         | MM2                         | ММЗ                         | MM4                         | MM5                         | ММ6                         | MM7                         | MM8                         |
|--------------------|----------------|-----------------------------|-----------------------------|-----------------------------|-----------------------------|-----------------------------|-----------------------------|-----------------------------|-----------------------------|
| Waste              | -              | -                           | 70L                         | -                           | 70L                         | -                           | 70L                         | -                           | 70L                         |
| Storage Options    | -              | -                           | -                           | -                           | -                           | Shelf                       | Shelf                       | -                           | -                           |
| Castors            | 4 x 75mm       | 4 x 75mm                    | 4 x 75mm                    | 4 x 75mm                    | 4 x 75mm                    | 4 x 75mm                    | 4 x 75mm                    | 4 x 75mm                    | 4 x 75mm                    |
| Dolly Mop Basket   | -              | Yes                         | Yes                         | -                           | -                           | -                           | -                           | -                           | -                           |
| Press              | -              | -                           | -                           | Vertical Press              | Vertical Press              | -                           |                             | -                           | -                           |
| Buckets            | -              | 2 x 5L                      |
| Mop Bucket         | -              | 1 x 28L                     | 1 x 28L                     | 1 x 15 / 1 x 17L            | 1 x 15 / 1 x 17L            | -                           | -                           | 1 x Dosed, 1 x 28L          | 1 x Dosed, 1 x 28L          |
| Hooks              | -              | 1 x Large T-Slot<br>Hook    |
| Clips              | -              | 1 x T-Slot<br>Mopstick Clip |
| Dimensions (WxLxH) | 480x940x1130mm | 480x940x1130mm              | 480x940x1130mm              | 480x940x1130mm              | 480x940x1130mm              | 480x940x1130mm              | 480x940x1130mm              | 480x940x1130mm              | 480x940x1130mm              |



# **Made from Recycled Plastic**

ReFlo Technology uses the highest quality recycled plastic, delivering the same Numatic reliability, durability and quality as always.



















### **MULTI-MATIC MOP KITS & ACCESSORIES**

#### **5L SWING BUCKET**



- 5L Swing Bucket, Red Handle PN: 905225
- 5L Swing Bucket, Blue Handle PN: 905226
- 5L Swing Bucket, Green Handle PN: 905227 5L Swing Bucket, Yellow Handle PN: 905228

#### **5L SWING BUCKET LID**



- Lid for 5L Swing Bucket, Clear PN: 902108

#### **5L SWING BUCKET KIT**



- 5L Bucket Holder C/W Fixing, Black PN: 629050
- 5L Swing Bucket Kit, Red Handle PN: 906277 5L Swing Bucket Kit, Blue Handle PN: 906278
- 5L Swing Bucket Kit, Green Handle PN: 906279 5L Swing Bucket Kit, Yellow Handle PN: 906280

#### 15L TWINMOP BUCKET



- 15L TwinMop Bucket, Red Handle PN: 905221
- 15L TwinMop Bucket, Blue Handle PN: 905222
- 15L TwinMop Bucket, Green Handle PN: 905223 15L TwinMop Bucket, Yellow Handle PN: 905224





Dolly Mop Basket PN: 906729

**MOP BASKET** 

Used on: MM2 / 4 / 6 / 8 PN: 913978

#### 17L FRONT **MOP BUCKET**



1 x 17L Bucket. Blue Handle Used on: MM3 / 4

**WASTE BIN LID** 

PN: 915058

#### 15L REAR **MOP BUCKET**

PN: 915057

PN: 913981

**PRESS** 

**VERTICAL MOP** 



- 1 x 15L Bucket, Red Handle Used on: MM3 / 4
- 28L TwinMon Bucket Blue Handle PN: 905218. 28L TwinMop Bucket, Green Handle PN: 905219

#### 28L TwinMop Bucket, Yellow Handle PN: 905220 Used on: MM1 / 2 / 7 / 8

28L TwinMop Bucket, Red Handle PN: 905217

**28L TWINMOP** 

**BUCKET** 



Used on: MM1 / 3 / 5 / 7 Used on: MM5 / 6 PN: 915060

#### TOP STORAGE TRAY MID STORAGE TRAY MB400 MOP DOSING LID ASSEMBLY



Dosed Mop Bucket Lid Used on: MM7 / 8 PN: 915406

#### **MB400 MOP DOSING BUCKET**



Dosed Mop Bucket, Blue Handle Used on: MM7 / 8 PN: 915407

75MM CASTOR X1

Castor x1 204118

**WASTE BAGS** 

#### **MOPMATIC** BUCKET **BRACKET FRAME**

PN: 913979

Used on: MM2 / 4 / 6 / 8



- Bracket Frame Used on: MM7 / 8 PN: 915613

**GREY CADDY** 

Carry Cleaning Products

PN: 628437

- Dosed Mop Bucket
- 915326
- Boxed Pressed Assembly Used on: MM3 / 4
  - Twist Mop Assembly Used on: MM3 / 4 PN: 915237

Twin 1L Bottle Holder,

ReFlo Black

PN: 910375

**HOLDER** 

TWIN 1L BOTTLE MOP SUPPORT

**KIT** 

PN: 915321

**TWINMOP** 

WHEEL KIT

Large Wheel Kit PN: 915320

**FABRIC WASTE BAG** 

#### Multi-pocket for Convenient Storage PN: 915319

#### Grey, Roll x 10 PN: 908230 **MOP CLAMP & CLIP**

70L Waste Bags (570x1000mm)

#### **LARGE & SMALL** T-SLOT HOOK



1 x Mop Support for on-board Mop Storage



A - Large T-Slot Hook (x1) PN: 911936

» A - Large T-Slot Hook (x10) PN: 912547 » B - Small T-Slot Hook (x1) PN: 915171 
» C - T-Slot Clamp (x10) PN: 912529 » D - Mopstick Clip (x1) PN: 629874 » B - Small T-Slot Hook (x10) PN: 915325 | » D - Mopstick Clip (x10) PN: 629883



- C T-Slot Clamp (x1) PN: 912528 » C - T-Slot Clamp (x10) PN: 912529

#### WET FLOOR SIGN



- Wet Floor Sign with Tray-Fix Hooks, Yellow A - PN: 629044 » Wet Floor Sign, Yellow, English B - PN: 901457
- **DTK3 HANG-ON MOP SET**

1 x BluTec Microfibre Mop

Suitable for Vertical Press

Hang-on Fixing

PN: 629334

Pad Size 400mm

#### **PCM403 POLYSTATIC 3-PIECE MOP SET**



- » 50 x PolyStatic Mop Cloths
- » Disposable PolyStatic Mop "Gripper" Pad
- » Velcro Fixing » Pad Size 400mm PN: 629813

#### **DTK9 TWIST MOP**



» 1 x Bactiguard Mop PN: 906460

#### **DTK1 KENTUCKY** MOP SET



- 1 x Kentucky 400g Mop
- Suitable for Vertical Press PN: 629332

## **DTK2 POCKET MOP SET**



- » 1 x BluTec Microfibre Pocket Mop
- » Suitable for Vertical Press, Wide Press and MopMatic
- Pocket Fixing

**DTK13G WING MOP** 

**PUMP ACTION SET** 

 Pad Size 400mm PN: 629333

#### **DTK12G WING MOP PUMP ACTION SET**



- 1 x BluTec Microfibre Pocket Mop
- Suitable for Vertical Press,
- Wide Press and MopMatic Pocket Fixing » Pad Size 400mm

PN: 906205

- » 1 x BluTec Microfibre Hang-on Mop
- » Suitable for Vertical Press » Hang-on Fixing
- » Pad Size 400mm
- PN: 909278



- 1 Compact, convenient and easy to store
- 2 Open shelf storage for easy access to all your cleaning equipment and supplies on the move.

#### A compact and versatile trolley range, ensuring productivity with a choice of janitorial solutions and mopping options to suit all environments.











#### **ECO-MATIC TROLLEY RANGE**

# **MOPPING** STORAGE & WASTE

#### The best value cleaning trolley range on the market.

- » Ergonomically Designed
- » Sustainably Engineered
- » Built to Last











**Made from Recycled Plastic** 

the same Numatic reliability, durability and quality as always.

ReFlo Technology uses the highest quality recycled plastic, delivering












Sustainably engineered using the highest quality recycled plastic, each model in the ECO-Matic range benefits from 100% Structofoam construction, making it tough, easy to clean and built to last.







#### **ECO-MATIC TROLLEY RANGE**





POST-CONSUMER PRE-CONSUMER

# **ALL-IN-ONE READY TO GO**

#### Offers an all-in-one, ready to go compact solution

» Compact Design

# **COMPACT SOLUTION** » Convenient Storage » Sustainably Engineered Nu-Design Bespoke Janitoria See pages 12-13 EM1-TM with Kits SRK15, SRK22 and DTK9 Twist Mop.



EM2-TM with Kits SRK14,

SRK22 and DTK9 Twist Mop. Consumables for illustration purposes only.



#### **ECO-MATIC MOP KITS & ACCESSORIES**

#### KIT SRK14



- 1 x 18L Blue Handle Bucket, Grey
- Used on: EM1 / EM2 PN: 910439

KIT SRK15



1 x 34L Blue Handle Bucket, Grey

KIT SRK22

C/W Dolly Mop Basket C/W Dolly Mop Basket Used on: EM3 / EM5 PN: 910440

#### KIT SRK16 / SRK16K



- with Foam Insert for Flat Mops or without Foam Insert for Kentucky Mops
- 1 x 17L Red Handle Bucket, Grey 1 x 17L Blue Handle Bucket, Grey
- Used on: EM3 / EM5 PN: 910442 with Foam Insert PN: 910443 without Foam Insert

#### KIT SRK19 BAG FRAME KIT



- 1 x ReFlo Bag Securing Frame
- 1 x Grey Lid
- C/W Colour-coded Discs Used on: EM3 / EM5 PN: 910843

SRK20

Rear Wheel Assembly » Used on: EM Range PN: 910758

#### KIT SRK21

MOP

**SUPPORT** 



- 4 x 5L Swing Pails 5L Swing Pail Handle,
- Red / Blue / Green / Yellov
- Used on: EM Range PN: 910898

## **ZIPPED LAUNDRY**

2 x 10L Buckets, Grey

10L Bucket Handle,



- 1 x Mop Support for On-board Mop Storage
- Used on: EM Range

## **BAG**



- 1 x Zipped Laundry Bag
- Used on: EM Range PN: 909369

#### **MOP CLIPS**



- Mopstick Clip (x1) ReFlo Black PN: 629874 Mopstick Clip (x10) ReFlo Black PN: 629883

  Used on: EM Range
- Red / Blue » Used on: EM Range PN: 911401

#### WET **FLOOR**



Wet Floor Sign Assembly, Yellow, English

SIGN

Used on: EM Range

## SMALL T-SLOT HOOK



- Large (x1) A PN: 911936
- Large (x10) A PN: 912547 » Small (x1) B - PN: 915171 » Small (x10) B - PN: 915325

C/W 1 x Bactiguard Mop

#### LARGE T-SLOT HOOK, ECO-MATIC BAG **SPLITTER KIT**



- 1 x Bag Trapper Extrusion C/W Bags
- C/W Roll of 70L Waste Bags
  - C/W Colour-coded Discs Used on: EM Range PN: 910840

#### **DTK9 TWIST MOP NUMATIC QUICK**



#### 1 x Numatic Quick Trolley Bracket

Used on: EM Range » Used on: EM Range PN: 906460



- » Robust design to protect the Numatic Quick
- » Easy to fit
- » Compact in size
- » Intergrated non-marking buffers for wall and door protection







# **Made from Recycled Plastic**

ReFlo Technology uses the highest quality recycled plastic, delivering the same Numatic reliability, durability and quality as always.



- » Select your Trolley Base » Pick your Storage Options
  - » Choose your Accessories
  - » Submit your Configuration

Visit: numatic.com/apps/nu-design

SERVO-Matic offers a choice of 6 base units and a range of kits and accessories for limitless configurations.

#### **SM RANGE**







#### **SMX RANGE**







| Model              | SM1405               | SM1415                        | SM1705                        | SMX1405              | SMX1415                       | SMX1705                       |
|--------------------|----------------------|-------------------------------|-------------------------------|----------------------|-------------------------------|-------------------------------|
| Waste              | 120 / 2 x 70L        | 120 / 2 x 70L                 | 120 / 2 x 70L                 | 120 / 2 x 70L        | 120 / 2 x 70L                 | 120 / 2 x 70L                 |
| Storage Options    | -                    | Divided Tray                  | Storage Drawer                | -                    | Divided Tray                  | Storage Drawer                |
| Optional Castors   | 100 / 125mm & Braked | 100 / 125 / 200mm<br>& Braked | 100 / 125 / 200mm<br>& Braked | 100 / 125mm & Braked | 100 / 125 / 200mm<br>& Braked | 100 / 125 / 200mm<br>& Braked |
| Kits               | Multiple Options     | Multiple Options              | Multiple Options              | Multiple Options     | Multiple Options              | Multiple Options              |
| Buckets            | 2 x 5L               | 2 x 6L                        | 4 x 5L or 2 x 10L             | 2 x 5L               | 2 x 6L                        | 4 x 5L or 2 x 10L             |
| Bin Surround       | -                    | =                             | -                             | Yes                  | Yes                           | Yes                           |
| Dimensions (WxLxH) | 570x835x970mm        | 570x1090x1115mm               | 570x1325x1115mm               | 570x835x970mm        | 570x1090x1115mm               | 570x1325x1115mm               |

## **SERVO-MATIC MOP KITS & ACCESSORIES**

#### KIT SRK0 / SRK0K



- » Vertical Press available with /
- » 1 x 15L Blue Handle Bucket, Grey

#### without Foam Insert » 1 x 15L Red Handle Bucket, Grey

 Used on: SM/SMX Range
 PN: 910413 with Foam Insert PN: 910414 without Foam Insert

#### KIT SRK1 / SRK1K



- » Vertical Press available with / without Foam Insert
- 1 x 17L Red Handle Bucket, Grey
- » 1 x 17L Blue Handle Bucket, Grey » 1 x Bucket Support Tray
- » Used on: SM/SMX Range PN: 910415 with Foam Insert PN: 910416 without Foam Insert



Vertical Press available with / without Foam Insert

KIT SRK2 / SRK2K

- 1 x 22L Red Handle Bucket, Grey 1 x 22L Blue Handle Bucket, Grey
- 1 x Extension Tray Used on: SM1415 / 1705 /
- SMX1415 / 1705 PN: 910425 with Foam Insert PN: 910426 without Foam Insert

#### KIT SRK3



- Speedclean Wide Press
- 1 x 22L Red Handle Bucket, Grey 1 x 22L Blue Handle Bucket, Grey
- » 1 x Extension Tray » Used on: SM1415 / 1705 / SMX1415 / 1705 PN: 910430

#### KIT SRK4



- » 1 x MopMatic2 Bucket, Grey
- » C/W Set of Colour-coded Discs
- » 1 x 22L Red Handle Bucket, Grey

**MMB1616** 

» 1 x Extension Tray » C/W 2.5L Dosing Bottle

**MIDMOP OPTION** 

Vertical Press available with without Foam Insert

» 510x680x1020mm (WxLxH)

» Used on:

SM1415 / 1705 /

SMX1415 / 1705

» Used on: SM1415 / 1705 / SMX1415 / 1705 PN: 910433

#### KIT SRK5



- » 2 x MopMatic2 Bucket, Grey
- » C/W Set of Colour-coded Discs
- » 1 x Extension Tray

KIT SRK26

- » C/W 2.5L Dosing Bottle
- » Used on: SM1415 / 1705 / SMX1415 / 1705 PN: 910435

#### KIT SRK6



- 2 x MopMatic2 Bucket, Grey
- C/W Set of Colour-coded Discs
- 1 x 22L Red Handle Bucket, Grey, C/W Lid
- MopMatic2 Hang-on Frame, Nutex
- 1 x Extension Tray
- SMX1415 / 1705

KIT SRK50 / 51

#### KIT SRK62



- Hood Set
- Lockable
- Used on: SM1705 / SMX1705 PN: 910315
- C/W 2.5L Dosing Bottle Used on: SM1415 / 1705 /

# PN: 910436

#### **BAG SPLITTER KIT**



- Ontional Doors
- C/W Locks and Hinges Used on: SM1705 / SMX1705 PN: 908171

KIT SRK30

- Optional Single Door and Back

  C/W Locks
- Used on: SM1705 / SMX1705
- and Hinges Optional Bin Surround Kit SRK50 Used on: SMX1405
  - SRK51 Used on: SMX1415



- » 1 x Bag Splitter with Fixing Screws for Dual Waste
- » C/W Roll of 70L Waste Bags » C/W Colour-coded Discs
- » Used on: SM / SMX Range PN: 910880

#### **NUMATIC QUICK** TROLLEY BRACKET



- 1 x Numatic Quick Trollev Bracket
- » Used on: SM / SMX Range PN: 915851



#### **CUSTOMISABLE DOOR PANELS**

#### KIT SRK27

#### KIT SRK28

» Door Graphic Set No.2 PN: 908173



# PN: 911444



#### KIT SRK29

Door Graphic Set No.3 Sunflowers







## **PRO-MATIC TROLLEY RANGE**

# CONFIGURABLE

# SAFE & SECURE

Nu-Design Bespoke Janitorial See pages 12-13

The PRO-Matic range offers a 100% configurable cleaning system, increasing operator usability and productivity.



#### Unlimited configuration options with complete versatility.

- » Fully Customisable
- » Safe & Secure
- » Sustainably Engineered





















# **Made from Recycled Plastic**

ReFlo Technology uses the highest quality recycled plastic, delivering the same Numatic reliability, durability and quality as always.

| Model                     | PM10               | PM11               | PM12               | PM20               | PM21               | PM22               | PM30               | PM31               | PM32               |
|---------------------------|--------------------|--------------------|--------------------|--------------------|--------------------|--------------------|--------------------|--------------------|--------------------|
| Waste                     | 1 x 120L / 2 x 70L | 1 x 120L / 2 x 70L | 2 x 120L / 4 x 70L | 1 x 120L / 2 x 70L | 1 x 120L / 2 x 70L | 2 x 120L / 4 x 70L | 1 x 120L / 2 x 70L | 1 x 120L / 2 x 70L | 2 x 120L / 4 x 70L |
| Storage Drawers           | -                  | Optional           | -                  | Optional           | Optional           | Optional           | Optional           | Optional           | Optional           |
| Doors                     | -                  | Optional           | -                  | Optional           | Optional           | Optional           | Optional           | Optional           | Optional           |
| Castors Size              | Optional           |
| Detachable<br>Wheeled Bin | Yes                |
| Kits                      | Multiple Options   |
| Dimensions (WxLxH)        | 580x972x1073mm     | 580x972x1073mm     | 580x972x1073mm     | 580x1335x1073mm    | 580x1335x1073mm    | 580x1335x1073mm    | 580x1700x1073mm    | 580x1700x1073mm    | 580x1700x1073mm    |

A choice of 12 base units and a wide-range of kits and accessories, no detail goes unmissed with PRO-Matic; meeting the precise requirements of any user, in any environment, for any application.





1 Safe and Secure Storage 2 Drawer Storage Options



# CONFIGURABLE CLEANING **SYSTEMS**

Visit: numatic.com/ apps/nu-design

# Design Bespoke Janitorial

Nu-Design guides you through the product configuration process, providing a visual output and configuration breakdown at each selection.

See pages 12-13

#### PRO-MATIC TROLLEY RANGE

The PM13 provides a lockable and manoeuvrable solution.



» Ontional Castors

» Ontional Doors

» Optional Storage Drawers

A completely configurable cleaning system with a wide choice of features to suit operator usability and productivity. Ready for anything, always on the go and on-hand wherever you need it.

> PM13 with SRK21 and SRK22 Kits, 2 x Deep Storage Drawers and 4 x Shallow Storage Drawers and Lockable Doors.



#### PM13 OPTIONAL CONFIGURATIONS



- » 2 x Deep Storage Drawers
- » 4 x Shallow Storage Drawers
- » 6 x Storage Box Runners » Castors: 4 x 100mm
- » Lockable Doors
- » 4 x 5L Pails » 2 x 10L Buckets
- » 580x972x1073mm (WxLxH)



- » 2 x Deep Storage Drawers
- » 4 x Shallow Storage Drawers
- » 6 x Storage Box Runners
- » Castors: 4 x 100mm » 580x972x1073mm (WxLxH)
- » 2 x Deep Storage Drawers » 4 x Shallow Storage Drawers
- » 6 x Storage Box Runners » Castors: 4 x 100mm
- » Lockable Doors
- » 580x972x1073mm (WxLxH)

Our latest additions to the PRO-Matic Range, the PM24 and PM34 provide a lockable multi-waste recycling system.

The PM24 and PM34 offers the option to separate your waste responsibly with a choice of 3 or 4 industry colour-coded bins.

### **Nu-Design** Bespoke Janitorial

**PM24** 

» Waste 3 x 120L / 6 x 70L

and Central Static Bin

» Industry Colour-coding

» Optional Castors

» Lockable Doors

» End Detachable Wheeled Bins

» 580x1335x1073mm (WxLxH)

PM24 with SRK21 and SRK22 Kits and SRK28 Door Panel Kits. Consumables for illustratio



#### **Removable Bin Feature**



» End Detachable Wheeled Bins

- and Central Static Bins
- » Optional Castors
- » Lockable Doors » Industry Colour-coding
- » 580x1700x1073mm (WxLxH)

Completely detachable and manoeuvrable swing-out bin for convenient waste removal. Colour-coding options available for effective

infection control.



## **PRO-MATIC MOP KITS & ACCESSORIES**

KIT SRK2S / SRK2KS

#### KIT SRK1S / SRK1KS



- » Vertical Press with Stainless Steel Handle available with / without Foam Insert

  3 1 x 17L Red Handle Bucket, Grey
- 1 x 17L Blue Handle Bucket, Grey
- » 1 x Bucket Support Tray» Used on: PM10 / 20 / 30 PN: 909523 with Foam Insert

#### PN: 910348 without Foam Insert KIT SRK5



- » 2 x MopMatic2 Buckets, Grey
- » C/W Set of Colour-coded Discs » C/W 2.5L Dosing Bottle
- » 1 x Extension Tray » Used on: PM10 / 20 / 30 PN: 910435

#### KIT SRK26 KIT SRK30



- Optional Doors » C/W Locks
- » Used on: PM11 / 13 / 20/21/22/ 30/31/32 PN: 908171
- and Hinges

**NUMATIC QUICK** 

» 1 x Numatic Quick

Used on: PM Range PN: 915851

Trolley Bracket

TROLLEY BRACKET

- Optional Single Door and Back Panel
- and Hinges Used on: PM11 13/20/21/22/ 30/31/32 PN: 911444
- C/W Locks



- Vertical Press with Stainless Steel Handle available with / without Foam Insert
- 1 x 22L Red Handle Bucket, Grey 1 x 22L Blue Handle Bucket, Grey

KIT SRK6S

1 x Extension TrayUsed on: PM10 / 20 / 30 PN: 909524 with Foam Insert PN: 910349 without Foam Insert

2 x MopMatic 2 Buckets, Grey • C/W Set of Colour-coded Discs • C/W 2.5L Dosing Bottle • 1 x 22L Red Handle Bucket, Grey,

C/W Lid MopMatic2 Hang-on Frame,

1 x Extension Tray
Used on: PM10 / 20 / 30

Stainless Steel

PN: 909526

KIT SRK31

#### KIT SRK3S



- Speedclean Wide Press with Stainless Steel Handle
- 1 x 22L Red Handle Bucket, Grey 1 x 22L Blue Handle Bucket, Grey
- 1 x Extension Trav
- Used on: PM10 / 20 / 30 PN: 909525

#### KIT SRK4



- » 1 x MonMatic2 Bucket Grev » C/W Set of Colour-coded Discs
- » C/W 2.5L Dosing Bottle
  » 1 x 22L Red Handle Bucket, Grey
  » 1 x Extension Tray
- » Used on: PM10 / 20 / 30 PN: 910433

#### MIDMOP OPTION MMB1616



- Vertical Press available with /
- without Foam Insert 510x680x1020mm (WxLxH) » Used on: PM10 / 20 / 30

KIT SRK49

#### KIT SRK62S



- » Hood Set » Lockable
- » Used on: PM Range PN: 910316

#### **BAG SPLITTER KIT**



- Optional Double Doors and 2 x Back Panels
- C/W Locks and Hinges Used on: PM13 / 21 / 30 / 31 / 32



- Used on:
- PM10 / 11 / 12 / 20 / 21 / 22 / 30 / 31 / 32 PN: 912815

- » 1 x Bag Splitter with Fixing Screws for Dual Waste
- » C/W Roll of 70L Waste Bags
- C/W Colour-coded Discs
   Used on: PM Range
   PN: 912817
- Swing-out Bin

**CUSTOMISABLE DOOR PANELS** 

# KIT SRK27

Door Graphic Set No.1 Happy Cleaning PN: 908712

#### KIT SRK28

Door Graphic Set No.2 Big Ben PN: 908173

#### KIT SRK29

Door Graphic Set No.3 Sunflowers PN: 908174




#### **SRK KITS**

| KIT    | PART No. | EM1 | EM2 | ЕМЗ | EM4 | EM5 | ЕМ6 | SM1405 | SM1415 | SM1705 | SMX1405 | SMX1415 | SMX1705 | PM10 | PM11 | PM12 | PM13 | PM20 | PM21 | PM22 | PM30 | PM31 | PM32 |
|--------|----------|-----|-----|-----|-----|-----|-----|--------|--------|--------|---------|---------|---------|------|------|------|------|------|------|------|------|------|------|
| SRK0   | 910413   |     |     |     |     |     |     | •      | •      | •      | •       | •       | •       |      |      |      |      |      |      |      |      |      |      |
| SRK0K  | 910414   |     |     |     |     |     |     | •      | •      | •      | •       | •       | •       |      |      |      |      |      |      |      |      |      |      |
| SRK1   | 910415   |     |     |     |     |     |     | •      | •      | •      | •       | •       | •       |      |      |      |      |      |      |      |      |      |      |
| SRK1K  | 910416   |     |     |     |     |     |     | •      | •      | •      | •       | •       | •       |      |      |      |      |      |      |      |      |      |      |
| SRK1S  | 909523   |     |     |     |     |     |     |        |        |        |         |         |         | •    |      |      |      | •    |      |      | •    |      |      |
| SRK1KS | 910348   |     |     |     |     |     |     |        |        |        |         |         |         | •    |      |      |      | •    |      |      | •    |      |      |
| SRK2   | 910425   |     |     |     |     |     |     |        | •      | •      |         | •       | •       |      |      |      |      |      |      |      |      |      |      |
| SRK2K  | 910426   |     |     |     |     |     |     |        | •      | •      |         | •       | •       |      |      |      |      |      |      |      |      |      |      |
| SRK2S  | 909524   |     |     |     |     |     |     |        |        |        |         |         |         | •    |      |      |      | •    |      |      | •    |      |      |
| SRK2KS | 910349   |     |     |     |     |     |     |        |        |        |         |         |         | •    |      |      |      | •    |      |      | •    |      |      |
| SRK3   | 910430   |     |     |     |     |     |     |        | •      | •      |         | •       | •       |      |      |      |      |      |      |      |      |      |      |
| SRK3S  | 909525   |     |     |     |     |     |     |        |        |        |         |         |         | •    |      |      |      | •    |      |      | •    |      |      |
| SRK4   | 910433   |     |     |     |     |     |     |        | •      | •      |         | •       | •       | •    |      |      |      | •    |      |      | •    |      |      |
| SRK5   | 910435   |     |     |     |     |     |     |        | •      | •      |         | •       | •       | •    |      |      |      | •    |      |      | •    |      |      |
| SRK6   | 910436   |     |     |     |     |     |     |        | •      | •      |         | •       | •       |      |      |      |      |      |      |      |      |      |      |
| SRK6S  | 909526   |     |     |     |     |     |     |        |        |        |         |         |         | •    |      |      |      | •    |      |      | •    |      |      |
| SRK8   | 911222   |     |     |     |     |     |     |        | •      | •      |         | •       | •       | •    |      |      |      | •    |      |      | •    |      |      |
| SRK14  | 910439   | •   | •   |     |     |     |     |        |        |        |         |         |         |      |      |      |      |      |      |      |      |      |      |
| SRK15  | 910440   |     |     | •   |     | •   |     |        |        |        |         |         |         |      |      |      |      |      |      |      |      |      |      |
| SRK16  | 910442   |     |     | •   |     | •   |     |        |        |        |         |         |         |      |      |      |      |      |      |      |      |      |      |
| SRK16K | 910443   |     |     | •   |     | •   |     |        |        |        |         |         |         |      |      |      |      |      |      |      |      |      |      |
| SRK19  | 910843   |     |     | •   |     | •   |     |        |        |        |         |         |         |      |      |      |      |      |      |      |      |      |      |
| SRK20  | 910758   | •   | •   | •   | •   | •   | •   |        |        |        |         |         |         |      |      |      |      |      |      |      |      |      |      |
| SRK21  | 910898   | •   | •   | •   | •   | •   | •   |        |        | •      |         |         | •       | •    | •    | •    | •    | •    | •    | •    | •    | •    | •    |
| SRK22  | 911401   | •   | •   | •   | •   | •   | •   |        |        | •      |         |         | •       | •    | •    | •    | •    | •    | •    | •    | •    | •    | •    |
| SRK26  | 908171   |     |     |     |     |     |     |        |        | •      |         |         | •       |      | •    |      | •    | •    | •    | •    | •    | •    | •    |
| SRK27  | 908172   |     |     |     |     |     |     |        |        | •      |         |         | •       |      | •    |      | •    | •    | •    | •    | •    | •    | •    |
| SRK28  | 908173   |     |     |     |     |     |     |        |        | •      |         |         | •       |      | •    |      | •    | •    | •    | •    | •    | •    | •    |
| SRK29  | 908174   |     |     |     |     |     |     |        |        | •      |         |         | •       |      | •    |      | •    | •    | •    | •    | •    | •    | •    |
| SRK30  | 911444   |     |     |     |     |     |     |        |        | •      |         |         | •       |      | •    |      | •    | •    | •    | •    | •    | •    | •    |
| SRK31  | 911447   |     |     |     |     |     |     |        |        |        |         |         |         |      |      |      | •    |      | •    |      | •    | •    | •    |
| SRK35S | 909072   |     |     |     |     |     |     |        |        |        |         |         |         |      |      |      |      | •    | •    | •    | •    | •    | •    |
| SRK36S | 909073   |     |     |     |     |     |     |        |        |        |         |         |         |      |      |      |      |      |      |      | •    | •    | •    |
| SRK42S | 909075   |     |     |     |     |     |     |        |        |        |         |         |         |      | •    |      |      |      |      |      |      |      |      |
| SRK43S | 909076   |     |     |     |     |     |     |        |        |        |         |         |         |      |      |      |      |      | •    |      |      |      |      |
| SRK44S | 909232   |     |     |     |     |     |     |        |        |        |         |         |         |      |      |      |      |      |      |      |      | •    |      |
| SRK49  | 912815   |     |     |     |     |     |     |        |        |        |         |         |         | •    | •    | •    |      | •    | •    | •    | •    | •    | •    |
| SRK50  | 912849   |     |     |     |     |     |     |        | •      |        |         |         |         |      |      |      |      |      |      |      |      |      |      |
| SRK51  | 912853   |     |     |     |     |     |     |        |        | •      |         |         |         |      |      |      |      |      |      |      |      |      |      |
| SRK62  | 910315   |     |     |     |     |     |     |        |        | •      |         |         | •       |      |      |      |      |      |      |      |      |      |      |
| SRK62S | 910316   |     |     |     |     |     |     |        |        |        |         |         | •       | •    | •    | •    | •    | •    | •    | •    | •    | •    | •    |

Image shows NC1R-TM

# **Made from Recycled Plastic**

ReFlo Technology uses the highest quality recycled plastic, delivering the same Numatic reliability, durability and quality as always.



# CAROUSEL RANGE

The Carousel Range features removeable caddy storage and verstatile waste for everyday cleaning solutions.



- » Waste 70L
  » 2 x 5L Swing Pails
  » C/W SprayMop Master and Tray
  » Castors: 4 x 80mm
  » 480x545x890mm (WxLxH)

NC1R

- Waste 70L
  1 x 4L Small Caddy
  14L Bucket and Dolly Mop Basket
  Castors: 4 x 80mm
  Optional Twist Mop (NC1R-TM)
  480x545x890mm (WxLxH)



- Waste 2 x 70LCastors: 4 x 80mm480x545x890mm (WxLxH)



- » Waste 70L
  » 1 x 4L Small Caddy
  » 1 x 10L Large Caddy
  » Castors: 4 x 80mm
  » 480x545x890mm (WxLxH)



- » 480x545x890mm (WxLxH)





# **Made from Recycled Plastic**

ReFlo Technology uses the highest quality recycled plastic, delivering the same Numatic reliability, durability and quality as always.

#### **NUBAG RANGE**

The NuBag range has been designed to provide space saving answers with super strong construction and a smaller capacity when needed.



Twin waste, linen and laundry modules have always been popular in commercial establishments. The dual-end design can incorporate waste and laundry, linen and laundry







LLT200R

or waste and linen.









Big in use, small in storage, the Servo-X trolley range will always find favour in the many locations where space is at an absolute premium.











- 1 NX1002 (Consumables for illustration purposes only.) 2 X Fold Design for Compact Storage
- 3 Integrated Laundry Bag Closure System

| NX15 | , , ,       |     |            |   |
|------|-------------|-----|------------|---|
|      |             |     | - telepide |   |
|      | 4           | 1/4 | 503        | 7 |
|      | $\setminus$ |     |            |   |
|      |             | 1   |            |   |
|      | 1           |     | 5          | D |





| Model              | NX1001        | NX1002        | NX1501        | NX2001        | NX2401        |
|--------------------|---------------|---------------|---------------|---------------|---------------|
| Waste              | 100L          | 2 x 100L      | 150L          | 200L          | 240L          |
| Castor Size        | 4 x 75mm      |
| Dimensions (WxLxH) | 390x460x960mm | 460x760x960mm | 460x760x760mm | 460x760x960mm | 550x780x960mm |

## **NUKEEPER RANGE - NKS SINGLE & LOW LEVEL**

Compact, considered and capable... The NKS range will always be a welcome addition to housekeeping where space is at a real premium.







PRE-CONSUMER



NKS1R



NKS1LLR













NKS1LLR





Munato Refo





Chinette Refle

- 1 Folding Bag Ends and Heavy-duty Construction
- 2 Easily Detachable Laundry Bags
- 3 Flexi-Front Enclosure
- 4 Numatic Quick Trolley Bracket

| Model              | NKS1LLR        | NKS2LLR         | NKS1R          | NKS2R           |  |
|--------------------|----------------|-----------------|----------------|-----------------|--|
| Waste              | 1 x 100L       | 2 x 100L        | 1 x 100L       | 2 x 100L        |  |
| Castor Size        | 4 x 100mm      | 4 x 100mm       | 4 x 100mm      | 4 x 100mm       |  |
| Height             | Low Level      | Low Level       | Full Height    | Full Height     |  |
| Storage            | 1 x Shelf      | 1 x Shelf       | 2 x Shelves    | 2 x Shelves     |  |
| Dimensions (WxLxH) | 582x998x1026mm | 582x1420x1026mm | 582x998x1352mm | 582x1420x1352mm |  |

## **NUKEEPER RANGE - NKT TWIN & LOW LEVEL**

Compact in size... Big on storage. The NKT range has a Flexi-Front enclosure, rotating side buffers to protect walls and even a Low Level (LL) version when visibility during transit is a consideration.



# **Made from Recycled Plastic**

ReFlo Technology uses the highest quality recycled plastic, delivering the same Numatic reliability, durability and quality as always.















Consumables for illustration purposes only.

NKT2R

| Model              | NKT0R            | NKT1R            | NKT2R            | NKT0LLR        | NKT1LLR         | NKT2LLR         |
|--------------------|------------------|------------------|------------------|----------------|-----------------|-----------------|
| Waste              | -                | 1 x 100L         | 2 x 100L         | -              | 1 x 100L        | 2 x 100L        |
| Castor Size        | 4 x 100mm        | 4 x 100mm        | 4 x 100mm        | 4 x 100mm      | 4 x 100mm       | 4 x 100mm       |
| Height             | Full Height      | Full Height      | Full Height      | Low Level      | Low Level       | Low Level       |
| Storage            | 2 x Twin Shelves | 2 x Twin Shelves | 2 x Twin Shelves | 1 x Twin Shelf | 1 x Twin Shelf  | 1 x Twin Shelf  |
| Dimensions (WxLxH) | 582x940x1352mm   | 582x1361x1352mm  | 582x1783x1352mm  | 582x940x1026mm | 582x1361x1026mm | 582x1783x1026mm |





**NKT1LLR** 



## **NUKEEPER RANGE - NKU PROFESSIONAL UNIVERSAL**

The NuKeeper Universal has been designed in every way for demanding hotel cleaning regimes, tackling narrow corridors, heavy loads and the pressures of time sensitive public-space day cleaning.





PRE-CONSUMER



# **NKU30RFF**











- 1 NKU31RHF with Top Kit NKA11
- 2 Lockable Tablet Option
- 3 Flexi-Front System
- Consumables for illustration purposes only.









| Model              | NKU30RFF              | NKU30RHF                 | NKU31RFF              | NKU31RHF                 | NKU32RFF              | NKU32RHF                 |
|--------------------|-----------------------|--------------------------|-----------------------|--------------------------|-----------------------|--------------------------|
| Waste              | -                     | -                        | 1 x 100L              | 1 x 100L                 | 2 x 100L              | 2 x 100L                 |
| Castor Size        | 4 x 200mm All-Terrain | 4 x 200mm All-Terrain    | 4 x 200mm All-Terrain | 4 x 200mm All-Terrain    | 4 x 200mm All-Terrain | 4 x 200mm All-Terrain    |
| Closure            | Flexi-Front           | Hard-Front Bi-fold Doors | Flexi-Front           | Hard-Front Bi-fold Doors | Flexi-Front           | Hard-Front Bi-fold Doors |
| Security           | -                     | Lockable                 | -                     | Lockable                 | -                     | Lockable                 |
| Storage            | 1 x Twin Shelf        | 1 x Twin Shelf           | 1 x Twin Shelf        | 1 x Twin Shelf           | 1 x Twin Shelf        | 1 x Twin Shelf           |
| Dimensions (WxLxH) | 667x1116x1205mm       | 667x1116x1205mm          | 667x1532x1205mm       | 667x1532x1205mm          | 667x1948x1205mm       | 667x1948x1205mm          |

## **NUKEEPER TOP TRAY & HOOD KITS**

A complete range of accessory kits provide the specification you need with no compromise.

#### NKA1 NKA2 NKA3 1 x Tray with Lid 1 x Tray with Divisions and Lid 1 x Half Tray 2 x Tray with Divisions and Lid1 x Half Tray » 2 x Tray with Lid » 1 x Half Tray PN: 903700 PN: 903698 PN: 903699 NKA4 NKA6 NKA5 » 1 x Tray » 1 x Tray with Divisions » 1 x Half Tray PN: 903701 2 x Tray1 x Half TrayPN: 903702 » 2 x Tray with Divisions » 1 x Half Tray PN: 903703 NKA7R NKA8R NKA9R » 1 x Hood Set » 1 x Tray with Lid » 1 x Hood Set » 2 x Hood Set » 1 x Half Tray PN: 913415 » 1 x Half Tray PN: 913416 » 1 x Half Tray PN: 913417 NKA10R NKA11R NKA12R » 1 x Hood Set » 1 x Hood Set » 1 x Hood Set » 1 x Tray with Divisions and Lid » 1 x Half Tray » 1 x Tray » 1 x Half Tray » 1 x Tray with Divisions » 1 x Half Tray PN: 913418 PN: 913419 **NKA13 TOP KIT** NKU3R2FF (Flexi-Front shown with Hood Kit NKA12R)

## **NUKEEPER END FRAME KITS**

# NKA100PR

Bag Capacity 1 x 100L
 Optional Moulded Laundry Bag Extension Kit PN: 913190

# NKA100PAR



Bag Capacity 1 x 100L » Optional Moulded Laundry Bag Extension Kit » Adjustable Handle PN: 910627

#### NKA101PR



- » Waste 1 x 120L
- » Optional Moulded Full Waste Bag Extension Kit » C/W 3-Piece Lid Set, Black
- PN: 913376

#### NKA102PR



- » Waste 1 x 140L / 2 x 70L» Optional Moulded Twin Waste Bag Extension Kit
- » C/W Split Lid Set, Red / Blue PN: 913395



- » Waste 1 x 120L» Optional Moulded Linen Bag Extension Kit
- C/W 3 Piece Lid Set, Black PN: 913397



- » Waste 1 x 120L» Optional Moulded Full Waste Bag Extension Kit
- C/W iPad / Tablet Storage Lid Set, Black
- PN: 913400



- » Optional Vacuum Storage Platform and Support
- » Frame Kit, Black» Used on: NKU Models Only

NKA120R

For illustration purposes, all tray kits

» Optional End Kit SprayMop Tray Kit, Black

Used on: All NKS / NKT / NKU Models PN: 913412

- PN: 913402

#### NKA111UR



- » Optional End Kit Twin End Half Tray Kit, Black » Used on: All NKS / NKT / NKU Models
- PN: 913409

#### NKA112UR



- » Optional End Kit Twin End Full Tray Kit, Black » Used on: All NKS / NKT / NKU Models
- PN: 913411

#### NKA130UR



» Optional End Kit 30 Litre Waste Bin Kit, Black » Used on: All NKS / NKT / NKU Models PN: 913413

#### **NUMATIC QUICK** TROLLEY BRACKET



» 1 x Numatic Quick Trolley Bracket » Used on: All NKS / NKT / NKU Models



106

» Top Kit - Laundry Support Set

PN: 907145



